

INDUSTRIAL COMPONENT DATA

SPPX-DINCLIPA CARLO GAVAZZI Din Rail Bracket For Bottom Mounting For Sppc

Brand: CARLO GAVAZZI | Manufacturer Part Number: SPPX-DINCLIPA



Manufacturer	CARLO GAVAZZI
MPN / Reference	SPPX-DINCLIPA
Catalog number	10000
Category	DC-power supply
Minimum order	1 Pcs
Document ID	EO-A93D586B81
Generated	2026-08-05

Product Overview

Din Rail Bracket For Bottom Mounting For Sppc

Din Rail Bracket For Side Mounting For Sppc

Metal DIN Rail Mounting Adapter for SPPC Enclosed Switching Power Supply

STRUCTURED PRODUCT DATA

Technical Specifications

No structured technical attributes are currently available. Submit an RFQ for technical review.

Classification & Catalog Path

Catalog path CARLO GAVAZZI > Switches > Power supplies

Additional Product Information

Specifications

Rated output voltage DC0 VPower output0 WMax. output current DC0 ATerminal typeInsulation piercing connectionRail mounting possibleNoWall mounting possibleNoDegree of protection (IP)IP00Width0 mmHeight0 mmDepth0 mm
ETIM for SPPX-DINCLIPA Low-voltage industrial controls and switchgear (EC002540)

Feature Name

Feature Value

Voltage type (supply voltage) (EF002991)

AC

1st secondary output voltage (EF006792)

0 V

2nd secondary output voltage (EF006797)

0 V

3rd secondary output voltage (EF006800)

0 V
Max. output current 1 (EF008284)
0 A
Max. output current 2 (EF008285)
0 A
Max. output current 3 (EF008286)
0 A
Secondary voltage adjustable (EF007002)
No
Nominal value output voltage 1 (EF009393)
0 V
Nominal value output voltage 2 (EF009394)
0 V
Nominal value output voltage 3 (EF009395)
0 V
Nominal value output current 1 (EF009396)
0 A
Nominal value output current 2 (EF009397)
0 A
Nominal value output current 3 (EF009398)
0 A
Short-circuit-proof (EF007332)
No
Rated supply voltage AC 50 Hz (EF007076)
0 V
Rated supply voltage AC 60 Hz (EF007077)
0 V
Rated supply voltage DC (EF007078)
0 V
Output voltage stabilized (EF003092)
No
Power consumption (EF000346)
0 VA
Power output (EF003034)
0 W
Stabilized (EF005302)
No
Type of electric connection (EF003961)
Insulation piercing connection
Suitable for rail mounting (EF003972)
No
Wall mounting possible (EF003973)
No
Modular version (EF001126)
No
Width in number of modular spacings (EF002950)
0

Built-in width (EF000846)

0 mm

Built-i...

REQUEST PRICE, AVAILABILITY & TECHNICAL REVIEW

Send CARLO GAVAZZI / SPPX-DINCLIPA with the required quantity to info@electricaonline.com or use electricaonline.com/request-quote.

GLOBAL OFFICES

Germany: Lise-Meitner-Straße 13, 89081 Ulm | USA: 16225 Park Ten Pl #500, Houston, TX 77084 | UAE: HDS Business Centre Tower, Cluster M, 33rd Floor, JLT, Dubai

Catalog-generated document. Product names, marks and specifications belong to their respective owners. Verify safety-critical, compatibility and certification requirements against the manufacturer documentation before purchase or installation.