

INDUSTRIAL COMPONENT DATA

SPUBC12120 CARLO GAVAZZI Ups Power Supply 12Vdc 120W

Brand: CARLO GAVAZZI | Manufacturer Part Number: SPUBC12120



Manufacturer	CARLO GAVAZZI
MPN / Reference	SPUBC12120
Catalog number	12120
Category	DC-power supply
Minimum order	1 Pcs
Document ID	EO-F6803905EB
Generated	2026-08-06

Product Overview

Ups Power Supply 12Vdc 120W

Uninterruptible Power Supply for Vdc Loads, 12 Vdc Output - Metal Housing

Switching Power Supply, UPS and Battery Charger, AC, 120W, 12V, Screw Terminals, IP20, DIN-Rail Mounting, Over-load, Over-voltage, Short-circuit, Over-temperature and Battery Charging Protections, 65x115x135mm metallic housing

STRUCTURED PRODUCT DATA

Technical Specifications

No structured technical attributes are currently available. Submit an RFQ for technical review.

Classification & Catalog Path

Catalog path	CARLO GAVAZZI > Switches > Power supplies
--------------	---

Additional Product Information

Specifications

Rated output voltage DC12 VPower output120 WMax. output current DC10 ATerminal typeScrew connectionRail mounting possibleYesWall mounting possibleNoDegree of protection (IP)IP20Width65 mmHeight115 mmDepth135 mm

ETIM for SPUBC12120 Low-voltage industrial controls and switchgear (EC002540)

Feature Name

Feature Value

Voltage type (supply voltage) (EF002991)

AC

1st secondary output voltage (EF006792)

10 V

2nd secondary output voltage (EF006797)

0 V

3rd secondary output voltage (EF006800)

0 V

Max. output current 1 (EF008284)

10 A

Max. output current 2 (EF008285)

0 A

Max. output current 3 (EF008286)

0 A

Secondary voltage adjustable (EF007002)

No

Nominal value output voltage 1 (EF009393)

12 V

Nominal value output voltage 2 (EF009394)

0 V

Nominal value output voltage 3 (EF009395)

0 V

Nominal value output current 1 (EF009396)

10 A

Nominal value output current 2 (EF009397)

0 A

Nominal value output current 3 (EF009398)

0 A

Short-circuit-proof (EF007332)

Yes

Rated supply voltage AC 50 Hz (EF007076)

115 V

Rated supply voltage AC 60 Hz (EF007077)

115 V

Rated supply voltage DC (EF007078)

0 V

Output voltage stabilized (EF003092)

Yes

Power consumption (EF000346)

17 VA

Power output (EF003034)

120 W

Stabilized (EF005302)

Yes

Type of electric connection (EF003961)

Screw connection

Suitable for rail mounting (EF003972)

Yes

Wall mounting possible (EF003973)

No

Modular version (EF001126)

No

Width in number of modular spacings (EF002950)

0

Built-in width (EF000846)

65 mm

Built-in hei...

REQUEST PRICE, AVAILABILITY & TECHNICAL REVIEW

Send CARLO GAVAZZI / SPUBC12120 with the required quantity to info@electricaonline.com or use electricaonline.com/request-quote.

GLOBAL OFFICES

Germany: Lise-Meitner-Straße 13, 89081 Ulm | USA: 16225 Park Ten Pl #500, Houston, TX 77084 | UAE: HDS Business Centre Tower, Cluster M, 33rd Floor, JLT, Dubai

Catalog-generated document. Product names, marks and specifications belong to their respective owners. Verify safety-critical, compatibility and certification requirements against the manufacturer documentation before purchase or installation.