

INDUSTRIAL COMPONENT DATA

134F7386**FC-103P18KT4E21H1XGXXXXSXXXXAZBXCXXXXDX****DANFOSS DRIVES****FC-103P18KT4E21H1XGXXXXSXXXXAZBXCXXXXDX**

Brand: DANFOSS DRIVES | Manufacturer Part Number: 1212519



Manufacturer	DANFOSS DRIVES
MPN / Reference	1212519
Catalog number	1212519
Category	VLTA Refrigeration Drive
Minimum order	1 unit
Document ID	EO-66AF3CC97F
Generated	2026-08-06

Product Overview

134F7386 FC-103P18KT4E21H1XGXXXXSXXXXAZBXCXXXXDX DANFOSS DRIVES
FC-103P18KT4E21H1XGXXXXSXXXXAZBXCXXXXDX

STRUCTURED PRODUCT DATA

Technical Specifications

No structured technical attributes are currently available. Submit an RFQ for technical review.

Classification & Catalog Path

Catalog path	DANFOSS DRIVES > VLTA Refrigeration Drive
--------------	---

Additional Product Information

Frequency converter
FC-103P18KT4E21H1XGXXXXSXXXXAZBXCXXXXDX
VLT® Refrigeration Drive FC-103
18.5 KW / 25 HP,
Three phase, 380 - 480 VAC, IP21 / Type 1
RFI filter Class A1 / B
No brake chopper
Graphical Loc. Cont. Panel
Not coated PCB, No Mains Option
Latest release std. SW.
AK-LonWorks MCA 107, No B Option

No C1 option, No D option

Frame: B1

Other options according to Model code

Product details

Gross weight 24.65 Kilogram

Net weight 21.03 Kilogram

Volume 144.67 Liter

EAN 5710107476527

Product View (Switch) GLBL Global (Standard)

Product Group FC- VLT® Refrigeration Drive

Series 103 103

Power Rating P18K 18.5 KW / 25 HP

Phase T Three phase

Mains Voltage 4 380 - 480 VAC

Enclosure E21 IP21 / Type 1

RFI Filter H1 RFI filter Class A1 / B

Brake - Safe Stop X No brake chopper

LCP G Graphical Loc. Cont. Panel

Coating PCB X Not coated PCB

Mains Option X No Mains Option

Adaptation A X Standard Cable Entries

Adaptation B X No adaptation

Software Release SXXX Latest release std. SW.

Software Language Pack X Standard Language Pack

A Option AZ AK-LonWorks MCA 107

B Option BX No B Option

C0 Option MCO CX No C0 option

C1 Option X No C1 option

C Option Software XX No software option

D Option DX No D option

Frame Size B1 B1

Product Catalog NO_VIEW NO VIEW

Typecode Part 1 FC-103P18KT4E21H1XGX

Typecode Part 2 XXXSXXXXAZBXCXXXXDX

Power 110% (NO) [KW] 18.5 18.5

Height [mm] 494,0 494,0

Width w/ no C options [mm] 243,0 243,0

Depth [mm] 261,0 261,0

Depth with Option A/B [mm] 261,0 261,0

kVA 26 26

Po...

REQUEST PRICE, AVAILABILITY & TECHNICAL REVIEW

Send DANFOSS DRIVES / 1212519 with the required quantity to info@electricaonline.com or use electricaonline.com/request-quote.

GLOBAL OFFICES

Germany: Lise-Meitner-Straße 13, 89081 Ulm | USA: 16225 Park Ten Pl #500, Houston, TX 77084 | UAE: HDS Business Centre Tower, Cluster M, 33rd Floor, JLT, Dubai

Catalog-generated document. Product names, marks and specifications belong to their respective owners. Verify safety-critical, compatibility and certification requirements against the manufacturer documentation before purchase or installation.