

## INDUSTRIAL COMPONENT DATA

**134F9040****FC-103P15KT4E55H2XGXXXXSXXXXAXBXCXXXXDX****DANFOSS DRIVES****FC-103P15KT4E55H2XGXXXXSXXXXAXBXCXXXXDX**

Brand: DANFOSS DRIVES | Manufacturer Part Number: 1212519



|                 |                          |
|-----------------|--------------------------|
| Manufacturer    | DANFOSS DRIVES           |
| MPN / Reference | 1212519                  |
| Catalog number  | 1212519                  |
| Category        | VLTA Refrigeration Drive |
| Minimum order   | 1 unit                   |
| Document ID     | EO-D011A3ABE7            |
| Generated       | 2026-08-04               |

**Product Overview**

134F9040 FC-103P15KT4E55H2XGXXXXSXXXXAXBXCXXXXDX DANFOSS DRIVES  
FC-103P15KT4E55H2XGXXXXSXXXXAXBXCXXXXDX

## STRUCTURED PRODUCT DATA

**Technical Specifications**

No structured technical attributes are currently available. Submit an RFQ for technical review.

**Classification & Catalog Path**

Catalog path DANFOSS DRIVES &gt; VLTA Refrigeration Drive

**Additional Product Information**

Product details

Gross weight 20.79 kg

Net weight 19.84 kg

Volume 144.67 l

EAN 5710107493319

VLT® REFRIGERATION DRIVE FC 103 SERIES

Product View (Switch) GLBL Global (Standard)

Product Group FC- VLT® Refrigeration Drive

Series 103 103

Power Rating P15K 15 KW / 20 HP

Phase T Three phase

Mains Voltage 4 380 - 480 VAC  
Enclosure E55 IP55 / Type 12  
RFI Filter H2 RFI filter Class A2  
Brake - Safe Stop X No brake chopper  
LCP G Graphical Loc. Cont. Panel  
Coating PCB X Not coated PCB  
Mains Option X No Mains Option  
Adaptation A X Standard Cable Entries  
Adaptation B X No adaptation  
Software Release SXXX Latest release std. SW.  
Software Language Pack X Standard Language Pack  
A Option AX No A Option  
B Option BX No B Option  
C0 Option MCO CX No C0 option  
C1 Option X No C1 option  
C Option Software XX No software option  
D Option DX No D option  
Frame Size B1 B1  
Product Catalog NO\_VIEW NO VIEW  
Typecode Part 1 FC-103P15KT4E55H2XGX  
Typecode Part 2 XXXSXXXXAXBXCXXXXDX  
Power 110% (NO) [KW] 15  
Height [mm] 480,0  
Width w/ no C options [mm] 242,0  
Depth [mm] 260,0  
Depth with Option A/B [mm] 260,0  
kVA 22.2  
Power Loss NO [W] 392  
Power Loss NO [W] 392  
Continuous Current (NO) [A] 32  
Intermittent Current (NO) [A] 35.2  
Continuous Current (NO) [A] 27  
Intermittent Current (NO) [A] 29.7  
Calculated Gross Weight [kg] 22.4  
Calculated Net Weight [kg] 22.1  
ECCN EU X.A.I.003  
ECCN US 3A999  
Vendor ERR01 Cannot Determine Vendor  
Recommended Factory ERR01 Cannot Determine Vendor  
Modelcode01 FC-103P15KT4E55H2XGX  
Modelcode02....

## REQUEST PRICE, AVAILABILITY & TECHNICAL REVIEW

Send DANFOSS DRIVES / 1212519 with the required quantity to [info@electricaonline.com](mailto:info@electricaonline.com) or use [electricaonline.com/request-quote](https://electricaonline.com/request-quote).

### GLOBAL OFFICES

Germany: Lise-Meitner-Straße 13, 89081 Ulm | USA: 16225 Park Ten Pl #500, Houston, TX 77084 | UAE: HDS Business Centre Tower, Cluster M, 33rd Floor, JLT, Dubai

Catalog-generated document. Product names, marks and specifications belong to their respective owners. Verify safety-critical, compatibility and certification requirements against the manufacturer documentation before purchase or installation.