

INDUSTRIAL COMPONENT DATA

087N6477 DANFOSS HEATING RET2001RF G+ RX1-S Digi Stat RF + Rcv,V2

Brand: DANFOSS HEATING | Manufacturer Part Number: 087N6477



Manufacturer	DANFOSS HEATING
MPN / Reference	087N6477
Catalog number	087N6477
Category	DANFOSS HEATING Products
Minimum order	1 unit
Document ID	EO-EB72D0FDC9
Generated	2026-08-01

Product Overview

087N6477 DANFOSS HEATING RET2001RF G+ RX1-S Digi Stat RF + Rcv,V2

STRUCTURED PRODUCT DATA

Technical Specifications

No structured technical attributes are currently available. Submit an RFQ for technical review.

Classification & Catalog Path

Catalog path	DANFOSS HEATING
--------------	-----------------

Additional Product Information

RET2001RF + RX1-S, Battery powered RF digital room electronic thermostat and mains powered single channel RF receiver

Product details

Gross weight 420 Gram

Net weight 400 Gram

Volume 1.36 Liter

EAN 5715162419205

Type RET2001

Product group Room Thermostats, RET

Gross weight 420 Gram

Net weight 400 Gram

Volume 1.36 Liter

EAN 5715162419205

Type RET2001

Product group Room Thermostats, RET

1 Primary battery SUM weight Kg 0.044
1 Primary battery weight Kg 0.022
Ambient temperature [°C] [max] 40 °C
Application Room heating
Approval CE
UKCA
Back lit display Yes
Backplate Industry Standard Backplate for RX1-S V2 Receiver
Ball hardness test [°C] 75 °C
Battery lifetime [Years] 2 yr
Battery qty 2
Battery type 2 x AA alkaline batteries
Battery type or Name Alkaline AA (LR6/ZR6)
Category name Digital RF Thermostat
CE evaluated Yes
China RoHS compliance Out of scope
Colour White RAL 9010
Contains batteries Yes
Control pollution Degree 2
Control type On/Off modulating control
Depth [mm] 30 mm
Description RET2001RF + RX1-S, Battery powered RF digital room electronic thermostat and mains powered single channel RF receiver
Design standard EN 60730-2-9
EEE category 5 small equipment (any external dimension < 50 cm)
Frost protection Yes
Height [mm] 86 mm
In scope of WEEE Yes
Installation 3 Wire
Material ABS+PC, non-flammable
Modulating Control Yes
Number of channels 1
On/Off control Yes
On/off modulating control Yes
Output relay rating inductive [A] 1 A
Output relay rating resistive [A] 3 A
Prod...

REQUEST PRICE, AVAILABILITY & TECHNICAL REVIEW

Send DANFOSS HEATING / 087N6477 with the required quantity to info@electricaonline.com or use electricaonline.com/request-quote.

GLOBAL OFFICES

Germany: Lise-Meitner-Straße 13, 89081 Ulm | USA: 16225 Park Ten Pl #500, Houston, TX 77084 | UAE: HDS Business Centre Tower, Cluster M, 33rd Floor, JLT, Dubai

Catalog-generated document. Product names, marks and specifications belong to their respective owners. Verify safety-critical, compatibility and certification requirements against the manufacturer documentation before purchase or installation.