

INDUSTRIAL COMPONENT DATA

BQ230AS 018F4511 DANFOSS CONTROLES INDUSTRIALES COIL 220/230V 50HZ 10W w.1M Cable

Brand: DANFOSS INDUSTRIAL AUTOMATION | Manufacturer Part Number: BQ230AS



Manufacturer	DANFOSS INDUSTRIAL AUTOMATION
MPN / Reference	BQ230AS
Catalog number	BQ230AS
Category	Industrial valves
Minimum order	1 unit
Document ID	EO-28921BD539
Generated	2026-08-03

Product Overview

BQ230AS 018F4511 DANFOSS CONTROLES INDUSTRIALES COIL 220/230V 50HZ 10W w.1M Cable

STRUCTURED PRODUCT DATA

Technical Specifications

No structured technical attributes are currently available. Submit an RFQ for technical review.

Classification & Catalog Path

Catalog path DANFOSS INDUSTRIAL AUTOMATION > Industrial valves - DANFOSS INDUSTRIAL AUTOMATION

Additional Product Information

Electrical connection: DIN Spade, Supply voltage [V] AC: 240, Frequency [Hz]: 50/60 Hz, Enclosure rating IP: IP65

Product details

Gross weight 0.273 Kilogram

Net weight 0.261 Kilogram

Volume 0.275 Liter

EAN 5702428290166

Type BQ240CS

Product group Solenoid valves

Product Name Description Solenoid coil

Gross weight 0.273 Kilogram

Net weight 0.261 Kilogram

Volume 0.275 Liter

EAN 5702428290166

Type BQ240CS

Product group Solenoid valves

Product Name Description Solenoid coil
Actuator size 13.5 mm
Ambient temperature range [°C] [max] 40 °C
Ambient temperature range [°C] [min] -40 °C
Ambient temperature range [°F] [max] 104 °F
Ambient temperature range [°F] [min] -40 °F
Application Steam applications
Approval CE
EAC
LLC CDC TYSK
cURus
CE mark Yes
China RoHS compliance Yes
China RoHS exemption clause No
Coil connection DIN Spade
Coil design standard VDE 0580
Coil fastening Clip-on
Coil winding insulation class Class H to IEC 85
Colour Black
Contains batteries No
EEE category 5 small equipment (any external dimension < 50 cm)
Electrical connection DIN Spade
Electrical connection size 6.3 mm x 0.8 mm
Electrical connection standard EN175301-803
Electrical connector 3 x spades
Enclosure rating IP IP65
Enclosure rating Nema (~) 4
EU RoHS compliance Yes
EU RoHS exemption clause No
Frequency [Hz] 50/60 Hz
In scope of WEEE Yes
Packing format Multi pack
Parts Program name EV215B
EV225B
EV245B
Power consumption 50Hz [VA] 17 VA
Power consumption 60Hz [VA] 16 VA
Power consumption [W] 50Hz 10 W...

REQUEST PRICE, AVAILABILITY & TECHNICAL REVIEW

Send DANFOSS INDUSTRIAL AUTOMATION / BQ230AS with the required quantity to info@electricaonline.com or use electricaonline.com/request-quote.

GLOBAL OFFICES

Germany: Lise-Meitner-Straße 13, 89081 Ulm | USA: 16225 Park Ten Pl #500, Houston, TX 77084 | UAE: HDS Business Centre Tower, Cluster M, 33rd Floor, JLT, Dubai

Catalog-generated document. Product names, marks and specifications belong to their respective owners. Verify safety-critical, compatibility and certification requirements against the manufacturer documentation before purchase or installation.