


INDUSTRIAL COMPONENT DATA

021H3292 DANFOSS REFRIGERATION Brazed plate heat exchanger, BPHE B3-052-50-3.0-H

Brand: DANFOSS REFRIGERATION | Manufacturer Part Number: 021H3292



Manufacturer	DANFOSS REFRIGERATION
MPN / Reference	021H3292
Catalog number	021H3292
Category	DANFOSS REFRIGERATION Products
Minimum order	1 unit
Document ID	EO-2DD8FC8F2F
Generated	2026-08-04

Product Overview

021H3292 DANFOSS REFRIGERATION Brazed plate heat exchanger, BPHE B3-052-50-3.0-H

STRUCTURED PRODUCT DATA

Technical Specifications

No structured technical attributes are currently available. Submit an RFQ for technical review.

Classification & Catalog Path

Catalog path	DANFOSS REFRIGERATION
--------------	-----------------------

Additional Product Information

Max. Working Pressure [bar]: 30, Universal, Function: Multifunctional, Brazing material: Copper brazing

Product details

Gross weight 13.6 Kilogram

Net weight 13.3 Kilogram

Volume 16.8 Liter

EAN 5702424269494

Type BPHE B3-052

Product group Heat exchangers

Product Name Description Brazed plate heat exchanger

Gross weight 13.6 Kilogram

Net weight 13.3 Kilogram

Volume 16.8 Liter

EAN 5702424269494

Type BPHE B3-052

Product group Heat exchangers

Product Name Description Brazed plate heat exchanger

Application Universal

Approval AS

CRN

EAC

KRAIA

PED

RoHS

UA

UL

Brazing material Copper brazing

China RoHS compliance Yes

Contains batteries No

Design temperature range [°C] [max] 200 °C

Design temperature range [°C] [min] -196 °C

Design temperature range [°F] [max] 320 °F

Design temperature range [°F] [min] -390 °F

Equipment Stud

EU RoHS compliance Yes

EU RoHS exemption clause No

Function Multifunctional

Function note Null

H1 conn. size Null

H1 conn. type G External thread connection

H2 conn. size Null

H2 conn. type Null

H3 conn. size 1 1/8 in

H3 conn. type Solder connection

H4 conn. size Null

H4 conn. type Solder connection

H5 conn. size Null

H5 conn. type Null

H6 conn. size Null

H6 conn. type Null

In scope of WEEE No

Max working pressure [psi] 435 psi

Max. Working Pressure [bar] 30 bar

Model no. 052

Number of plates 50

Packing format Single pack

PED category II

Plate material no. AISI 316L

Plate material no. AISI 316L

Plate pattern H

Q1 conn. size range Null

Q1 conn. type Null

Q2 conn.....

REQUEST PRICE, AVAILABILITY & TECHNICAL REVIEW

Send DANFOSS REFRIGERATION / 021H3292 with the required quantity to info@electricaonline.com or use electricaonline.com/request-quote.

GLOBAL OFFICES

Germany: Lise-Meitner-Straße 13, 89081 Ulm | USA: 16225 Park Ten Pl #500, Houston, TX 77084 | UAE: HDS Business Centre Tower, Cluster M, 33rd Floor, JLT, Dubai

Catalog-generated document. Product names, marks and specifications belong to their respective owners. Verify safety-critical, compatibility and certification requirements against the manufacturer documentation before purchase or installation.