

INDUSTRIAL COMPONENT DATA

077B0026 DANFOSS REFRIGERATION THERMOSTAT 077B0, 6-36 AMP

Brand: DANFOSS REFRIGERATION | Manufacturer Part Number: 077B0026



Manufacturer	DANFOSS REFRIGERATION
MPN / Reference	077B0026
Catalog number	100
Category	DANFOSS REFRIGERATION Products
Minimum order	100 units
Document ID	EO-BCEE1A798A
Generated	2026-07-29

Product Overview

077B0026 DANFOSS REFRIGERATION THERMOSTAT 077B0, 6-36 AMP

STRUCTURED PRODUCT DATA

Technical Specifications

No structured technical attributes are currently available. Submit an RFQ for technical review.

Classification & Catalog Path

Catalog path	DANFOSS REFRIGERATION
--------------	-----------------------

Additional Product Information

Product Type: B0, Type designation: Without additional function, Used for product: Freezers without alarm, Warm cut-in [°C]: -17, Warm cut-out [°C]: -23, Cold cut-in [°C]: -23, Cold cut-out [°C]: -30, Capillary tube length [mm]: 1200

Product details

Gross weight 0.085 Kilogram

Net weight 0.08 Kilogram

Volume 0.309 Cubic decimeter

EAN 5702424005535

Type B0

Product group Mechanical cold controls

Product Name Description Thermostat

Gross weight 0.085 Kilogram

Net weight 0.08 Kilogram

Volume 0.309 Cubic decimeter

EAN 5702424005535

Type B0

Product group Mechanical cold controls
Product Name Description Thermostat
Adjusted at pressure [mm Hg] 760 mmHg
Adjusting position Warm
Ambient temperature range [°C] [max] 65 °C
Ambient temperature range [°C] [min] -25 °C
Approval BEAB
CE
EAC
LLC CDC TYSK
cURus
Capillary tube length [mm] 1200 mm
CE mark Yes
China RoHS compliance Out of scope
Cold cut-in [°C] -23 °C
Cold cut-out [°C] -30 °C
Contains batteries No
EU RoHS compliance Out of scope
In scope of WEEE No
Packing format Industrial pack
Quantity per packing format 100 pc
REACH Candidate List substances No
Terminals 6,3 x 0,8 mm All
Type designation Without additional function
UL mark Yes
Used for product Freezers without alarm
Warm cut-in [°C] -17 °C
Warm cut-out [°C] -23 °C
Adjusted at pressure [mm Hg] 760 mmHg
Adjusting position Warm
Ambient temperature range [°C] [max] 65 °C
Ambient temperature range [°C] [min] -25 °C
Approval BEAB
CE
EAC
LLC CDC TYSK
cURus
Capillary tube length [mm]...

REQUEST PRICE, AVAILABILITY & TECHNICAL REVIEW

Send DANFOSS REFRIGERATION / 077B0026 with the required quantity to info@electricaonline.com or use electricaonline.com/request-quote.

GLOBAL OFFICES

Germany: Lise-Meitner-Straße 13, 89081 Ulm | USA: 16225 Park Ten Pl #500, Houston, TX 77084 | UAE: HDS Business Centre Tower, Cluster M, 33rd Floor, JLT, Dubai

Catalog-generated document. Product names, marks and specifications belong to their respective owners. Verify safety-critical, compatibility and certification requirements against the manufacturer documentation before purchase or installation.