

INDUSTRIAL COMPONENT DATA

10AMP 690V AC BS88 FUSE 10CT EATON ELECTRIC

Fuse-link, high speed, 50 A, AC 690 V, DC 500 V, BS88, 18 x 96 m..

Brand: EATON - MOELLER | Manufacturer Part Number: 10AMP 690V AC BS88 FUSE



Manufacturer	EATON - MOELLER
MPN / Reference	10AMP 690V AC BS88 FUSE
Catalog number	10CT
Category	HRC fuse
Minimum order	20 Pcs
Document ID	EO-F72F656529
Generated	2026-08-06

Product Overview

Fuse-link, high speed, 50 A, AC 690 V, DC 500 V, BS88, 18 x 96 mm, aR, BS

10AMP 690V AC BS88 FUSE

Eaton Bussmann series high speed British standard fuse, 10 A, 690 V (IEC), 700 V (UL), Non Indicating, 64.2 mm CC, aR (accompanied semiconductor protection)

Fuse, Fuse-link, high speed, 10 A, AC 690 V, DC 500 V, BS88, 9 x 75 mm, aR, BS, offset bolted tags, DC common bus, DC drives, power converters/rectifiers and reduced voltage starters, BS88-4, IEC 60269-4, Breaking Capacity 200 kA

STRUCTURED PRODUCT DATA

Technical Specifications

No structured technical attributes are currently available. Submit an RFQ for technical review.

Classification & Catalog Path

Catalog path EATON - MOELLER > Bussmann Series High speed fuses

Additional Product Information

General specifications

Product Name Eaton Bussmann series high speed british standard fuse Catalog Number 10CT EAN 5027590516327 UPC 051712830355 Product Length/Depth 82 mm Product Height 21 mm Product Width 90 mm Product Weight 8.4 g

Compliances CE Marked

RoHS Compliant Certifications IEC Rated

UL Recognized

Designed and tested to BS88 part 4

IEC 60269-4 Electrical data

Amperage Rating 10 A Voltage rating 690 V (IEC), 700 V (UL) Rated voltage AC 690 V Rated voltage DC 500 V Interrupt rating 90 kA RMS Sym, 40 kA at 500 Vdc (IEC)

200 kA RMS Sym, 50 kA at 500 Vdc (UL) Class Class aR Pre arc (I2T) 7 Clearing (I2T) 30 Watt losses 3 W Product specifications

Application Semiconductor, DC Common bus, DC drives, power converters/rectifiers Fuse indicator Non Indicating

Compatble Trip indicator/Microswitch

Suitable for TI700 Fuse indicator

MAI Microswitch/adaptor

MBI Microswitch/adaptor

ETIM for 10CT Circuit breakers and fuses (EC004556)

Feature Name

Feature Value

Fuse system according to IEC 60269 (EF017676)

Other

Fuse construction type according to IEC 60269 (EF015865)

Other

Type of current (EF000143)

AC/DC

Rated voltage AC (EF007682)

690 V

Rated voltage DC (EF012281)

500 V

Rated current (EF000227)

10 A

Utilization category according to IEC 60269 (EF002572)

aR (accompanied semiconductor protection)

Breaking capacity (EF005617)

90 kA

Colour code (EF000931)

None

Type of fuse status indicator (EF004473)

None

Power loss at rated current (EF012389)

3 W

Mounting holes (EF021553)

Other

Ce...

REQUEST PRICE, AVAILABILITY & TECHNICAL REVIEW

Send EATON - MOELLER / 10AMP 690V AC BS88 FUSE with the required quantity to info@electricaonline.com or use electricaonline.com/request-quote.

GLOBAL OFFICES

Germany: Lise-Meitner-Straße 13, 89081 Ulm | USA: 16225 Park Ten Pl #500, Houston, TX 77084 | UAE: HDS Business Centre Tower, Cluster M, 33rd Floor, JLT, Dubai

Catalog-generated document. Product names, marks and specifications belong to their respective owners. Verify safety-critical, compatibility and certification requirements against the manufacturer documentation before purchase or installation.