

INDUSTRIAL COMPONENT DATA

16AMP 550V AC BS88 gG FUSE NIT16 EATON ELECTRIC

Fuse-link, LV, 40 A, AC 500 V, BS88, 21 x 129 mm, gL/gG, BS

Brand: EATON - MOELLER | Manufacturer Part Number: 16AMP 550V AC BS88 gG FUSE



Manufacturer	EATON - MOELLER
MPN / Reference	16AMP 550V AC BS88 gG FUSE
Catalog number	NIT16
Category	HRC fuse
Minimum order	20 Pcs
Document ID	EO-3926F54A33
Generated	2026-08-06

Product Overview

Fuse-link, LV, 40 A, AC 500 V, BS88, 21 x 129 mm, gL/gG, BS

16AMP 550V AC BS88 gG FUSE

Eaton Bussmann series low voltage british standard fuse, 16A, AC 550 V, DC 250 V, V88/A1, 14 x 56 mm, gL/gG

Fuse, Fuse-link, low voltage, 16 A, AC 550 V, DC 250 V, BS88/A1, 14 x 56 mm, gL/gG, BS, offset bolted tags (slotted), general industrial applications, BS88-2, IEC 60269-2, Breaking Capacity 80 kA, Optional accessories fuse-holder CM32FC RS20

STRUCTURED PRODUCT DATA

Technical Specifications

No structured technical attributes are currently available. Submit an RFQ for technical review.

Classification & Catalog Path

Catalog path EATON - MOELLER > Bussmann Series Low Voltage fuses and accessories

Additional Product Information

General specifications

Product Name Eaton Bussmann series low voltage british standard fuse

Catalog Number NIT16

EAN 5027590503914

UPC 051712392464

Product Length/Depth 56 mm

Product Height 14 mm

Product Width 14 mm

Product Weight 15 g

Compliances CE Marked

RoHS Compliant
Certifications IEC 60269-2
BS88
Electrical data
Amperage Rating 16 A
Voltage rating 550 V
Voltage type AC/DC
Breaking capacity 80 kA
Class Class gG/gL
Product specifications
Application general industrial applications
Fuse type NIT
Fuse size BS88/A1
Fitted with: Offset bolted tags
Connection 44 mm fixing centre
Compatible fuse holders
Suitable for CM32FC Camaster fuse holder
RS20 Red spot fuse holder
ETIM for NIT16 Circuit breakers and fuses (EC004556)
Feature Name
Feature Value
Fuse system according to IEC 60269 (EF017676)
Fuse system E
Fuse construction type according to IEC 60269 (EF015865)
A1
Type of current (EF000143)
AC/DC
Rated voltage AC (EF007682)
550 V
Rated voltage DC (EF012281)
250 V
Rated current (EF000227)
16 A
Utilization category according to IEC 60269 (EF002572)
gG (cable protection/equipment protection)
Breaking capacity (EF005617)
80 kA
Colour code (EF000931)
None
Type of fuse status indicator (EF004473)
None
Power loss at rated current (EF012389)
1.8 W
Mounting holes (EF021553)
Other
Centre-to-centre distance of connections (EF021151)
44.5 mm

REQUEST PRICE, AVAILABILITY & TECHNICAL REVIEW

Send EATON - MOELLER / 16AMP 550V AC BS88 gG FUSE with the required quantity to info@electricaonline.com or use electricaonline.com/request-quote.

GLOBAL OFFICES

Germany: Lise-Meitner-Straße 13, 89081 Ulm | USA: 16225 Park Ten Pl #500, Houston, TX 77084 | UAE: HDS Business Centre Tower, Cluster M, 33rd Floor, JLT, Dubai

Catalog-generated document. Product names, marks and specifications belong to their respective owners. Verify safety-critical, compatibility and certification requirements against the manufacturer documentation before purchase or installation.