

INDUSTRIAL COMPONENT DATA

28011 1-8h/D LED CGLine+ (Set) 40071354817 EATON ELECTRIC 28011 1-8h/D LED CGLine+ (Set)

Brand: EATON - MOELLER | Manufacturer Part Number: 28011 1-8h/D LED CGLine+ (Set)



Manufacturer	EATON - MOELLER
MPN / Reference	28011 1-8h/D LED CGLine+ (Set)
Catalog number	40071354817
Category	Emergency luminaire
Minimum order	1 Pcs
Document ID	EO-3CB4E46D8F
Generated	2026-08-06

Product Overview

28011 1-8h/D LED CGLine+ (Set)

Eaton Style Variant 28011, Single side exit sign, 32m viewing distance, Escape route, CGLine + technology, LED, Maintained / Non-Maintained operation, IP41, 1h/3h/8h selectable duration, with transparent cover and 3 pictograms

STRUCTURED PRODUCT DATA

Technical Specifications

No structured technical attributes are currently available. Submit an RFQ for technical review.

Classification & Catalog Path

Catalog path	EATON - MOELLER > Central Battery System
--------------	--

Additional Product Information

ETIM for 40071354817 Luminaires (EC001957)

Feature Name

Feature Value

Suitable for labelling type (EF001277)

Sticker

With pictogram (EF011099)

Yes

Monitoring equipment (EF008091)

Safety module for monitoring (central feeded system)

With remote switch connection (EF007947)

Yes

Power supply system (EF000233)

Peripheral (individual battery)

Battery technology (EF004351)

Lithium-ions

Lamp type (EF002423)

LED non-replaceable

With light source (EF005905)

Yes

Lamp holder (EF000048)

Other

Number of lighting heads (EF004258)

1

Housing material (EF001596)

Plastic

Housing colour (EF000136)

Grey

Material cover (EF004284)

Plastic opal

Voltage type (EF000187)

AC

Nominal voltage (EF005127)

220 V

Type of control gear (EF000381)

LED driver constant current

Light distributor (EF012170)

Diffuser

Rated life time L70/B50 at 25 °C (EF011870)

50000 h

Degree of protection (IP) (EF005474)

IP41

Impact strength (EF004293)

IK03

Protection class according to IEC 61140 (EF000004)

II

Luminaire with limited surface temperature, sign "D" according to EN 60598-2-24 (EF006420)

No

Rated ambient temperature according to IEC 62722-2-1 (EF012090)

5 °C

Max. system power (EF009347)

6.6 W

Power factor (EF025740)

0.93

Recognition distance (EF008732)

32 m

Nominal operation time (EF012518)

1 h

Width (EF000008)

200 mm

Height/depth (EF001456)

68 mm
Length (EF001438)
341 mm
Built-in width (EF000846)
220 mm
Built-in length (EF004265)
350 mm
Type of wiring (EF011868)
Suitable for through wiring
Number of poles (EF001391)
6....

REQUEST PRICE, AVAILABILITY & TECHNICAL REVIEW

Send EATON - MOELLER / 28011 1-8h/D LED CGLine+ (Set) with the required quantity to info@electricaonline.com or use electricaonline.com/request-quote.

GLOBAL OFFICES

Germany: Lise-Meitner-Straße 13, 89081 Ulm | USA: 16225 Park Ten Pl #500, Houston, TX 77084 | UAE: HDS Business Centre Tower, Cluster M, 33rd Floor, JLT, Dubai

Catalog-generated document. Product names, marks and specifications belong to their respective owners. Verify safety-critical, compatibility and certification requirements against the manufacturer documentation before purchase or installation.