

INDUSTRIAL COMPONENT DATA

M22-D4-S 279411 Y7-279411 EATON ELECTRIC 4-way pushbutton, black, momentary, silver

Brand: EATON - MOELLER | Manufacturer Part Number: M22-D4-S



Manufacturer	EATON - MOELLER
MPN / Reference	M22-D4-S
Catalog number	Y7-279411
Category	Front element for push button
Minimum order	5 Pcs
Document ID	EO-BD83CD8A89
Generated	2026-08-01

Product Overview

4-way pushbutton, black, momentary, silver

M22-D4-S

Eaton Moeller® series M22 Position pushbutton, RMQ-Titan, Actuators non-flush, momentary, 4-fold, opposing pushbuttons not mechanically interlocked, Bezel: titanium

Position pushbutton, Product range: RMQ-Titan, Single unit, Design: Actuators non-flush, momentary, Description: 4-fold, opposing pushbuttons not mechanically interlocked, Name: No inscription, actuator color black, Degree of Protection: IP66, Bezel: titanium, Connection to SmartWire-DT: yes, with SWD-RMQ connections, Front dimensions: 55 x 55, Standards: IEC/EN 60947, VDE 0660

STRUCTURED PRODUCT DATA

Technical Specifications

No structured technical attributes are currently available. Submit an RFQ for technical review.

Classification & Catalog Path

Catalog path **EATON - MOELLER > Auxiliary Control and Signalling Elements**

Additional Product Information

General specifications

Product Name Eaton Moeller® series M22 4-way pushbutton Catalog Number 279411 Model Code M22-D4-S EAN 4015082794118 Product Length/Depth 55 mm Product Height 32 mm Product Width 55 mm Product Weight 0.022 kg

Compliances CE Marked Certifications UL 508

EN 60947-5

IEC 60947-5

CSA Std. C22.2 No. 94-91

CSA Std. C22.2 No. 14-05

VDE

UL File No.: E29184

CSA Class No.: 3211-03

CSA-C22.2 No. 14-05

CSA

UL

UL Category Control No.: NKCR

IEC/EN 60947-5

CE

CSA File No.: 012528

CSA-C22.2 No. 94-91

IEC/EN 60947

VDE 0660

DNV

GL

LR Catalog Notes 4-fold

ETIM for 279411 Low-voltage industrial controls and switchgear (EC000221)

Feature Name

Feature Value

Colour button (EF000190)

Black

Number of command positions (EF001372)

4

Construction type lens (EF006253)

Round

Hole diameter (EF000079)

22.5 mm

Width opening (EF004565)

0 mm

Height opening (EF004778)

0 mm

Type of button (EF001546)

Flat

Suitable for lighting (EF001142)

No

With protective cover (EF005500)

No

Labelled (EF001537)

No

Switching function latching (EF007447)

No

Spring-return (EF001407)

Yes

With front ring (EF006014)

Yes

Material front ring (EF005972)

Plastic

Colour front ring (EF002429)

Chrome

Degree of protection (IP), front side (EF003118)

IP66

Degree of protection (NEMA), front side (EF011961)

4X

REQUEST PRICE, AVAILABILITY & TECHNICAL REVIEW

Send EATON - MOELLER / M22-D4-S with the required quantity to info@electricaonline.com or use electricaonline.com/request-quote.

GLOBAL OFFICES

Germany: Lise-Meitner-Straße 13, 89081 Ulm | USA: 16225 Park Ten Pl #500, Houston, TX 77084 | UAE: HDS Business Centre Tower, Cluster M, 33rd Floor, JLT, Dubai

Catalog-generated document. Product names, marks and specifications belong to their respective owners. Verify safety-critical, compatibility and certification requirements against the manufacturer documentation before purchase or installation.