

INDUSTRIAL COMPONENT DATA

M22-D4-*-* 279413 Y7-279413 EATON ELECTRIC 4-way pushbutton, momentary, facility for inscription, silver

Brand: EATON - MOELLER | Manufacturer Part Number: M22-D4-*-*



Manufacturer	EATON - MOELLER
MPN / Reference	M22-D4-*-*
Catalog number	Y7-279413
Category	Front element for push button
Minimum order	1 Pcs
Document ID	EO-64645423DE
Generated	2026-08-05

Product Overview

4-way pushbutton, momentary, facility for inscription, silver

M22-D4-*-*

Eaton Moeller® series M22 Position pushbutton, RMQ-Titan, Actuators non-flush, momentary, 4-fold, opposing pushbuttons not mechanically interlocked, selectable, individual facility for inscription, Bezel: titanium

Position pushbutton, Product range: RMQ-Titan, Single unit, Design: Actuators non-flush, momentary, Description: 4-fold, opposing pushbuttons not mechanically interlocked, button plate: selectable, Button plate individual facility for inscription, Degree of Protection: IP66, Bezel: titanium, Connection to SmartWire-DT: yes, with SWD-RMQ connections, Front dimensions: 55 x 55, Ordering information: Notes on customized inscription -> Data sheet, additional product information (links), Standards: IEC/EN 60947, VDE 0660

STRUCTURED PRODUCT DATA

Technical Specifications

No structured technical attributes are currently available. Submit an RFQ for technical review.

Classification & Catalog Path

Catalog path **EATON - MOELLER > Auxiliary Control and Signalling Elements**

Additional Product Information

General specifications

Product Name Eaton Moeller® series M22 4-way pushbutton Catalog Number 279413 Model Code M22-D4-*-* Product Length/Depth 55 mm Product Height 32 mm Product Width 55 mm Product Weight 0.022 kg Certifications CSA-C22.2 No. 14-05

IEC/EN 60947

CE

UL 508

CSA

CSA-C22.2 No. 94-91

VDE 0660

CSA Class No.: 3211-03

CSA File No.: 012528

IEC/EN 60947-5

UL

UL Category Control No.: NKCR

UL File No.: E29184

DNV

GL

LR Catalog Notes Notes on customized inscription -> Data sheet, additional product information (links)

ETIM for 279413 Low-voltage industrial controls and switchgear (EC000221)

Feature Name

Feature Value

Colour button (EF000190)

Other

Number of command positions (EF001372)

4

Construction type lens (EF006253)

Round

Hole diameter (EF000079)

22.5 mm

Width opening (EF004565)

0 mm

Height opening (EF004778)

0 mm

Type of button (EF001546)

Flat

Suitable for lighting (EF001142)

No

With protective cover (EF005500)

No

Labelled (EF001537)

Yes

Switching function latching (EF007447)

No

Spring-return (EF001407)

Yes

With front ring (EF006014)

Yes

Material front ring (EF005972)

Plastic

Colour front ring (EF002429)

Titanium

Degree of protection (IP), front side (EF003118)

IP66

Degree of protection (NEMA), front side (EF011961)
4X

REQUEST PRICE, AVAILABILITY & TECHNICAL REVIEW

Send EATON - MOELLER / M22-D4-*-* with the required quantity to info@electricaonline.com or use electricaonline.com/request-quote.

GLOBAL OFFICES

Germany: Lise-Meitner-Straße 13, 89081 Ulm | USA: 16225 Park Ten Pl #500, Houston, TX 77084 | UAE: HDS Business Centre Tower, Cluster M, 33rd Floor, JLT, Dubai

Catalog-generated document. Product names, marks and specifications belong to their respective owners. Verify safety-critical, compatibility and certification requirements against the manufacturer documentation before purchase or installation.