

INDUSTRIAL COMPONENT DATA

40071354875 EATON ELECTRIC Atlantic LED S 1-8h/D CGLine+ H, single sided

Brand: EATON - MOELLER | Manufacturer Part Number: 40071354875



Manufacturer	EATON - MOELLER
MPN / Reference	40071354875
Catalog number	40071354875
Category	Emergency luminaire
Minimum order	1 Pcs
Document ID	EO-C898C25D8B
Generated	2026-08-02

Product Overview

Atlantic LED S 1-8h/D CGLine+ H, single sided

Eaton Atlantic LED S H, Single side exit sign, Battery heater for low temperatures down to -20°C, 24m viewing distance, Escape route, CGLine + technology, LED, Maintained / Non-Maintained operation, IP65, 1h/3h/8h selectable duration, without pictograms

STRUCTURED PRODUCT DATA

Technical Specifications

No structured technical attributes are currently available. Submit an RFQ for technical review.

Classification & Catalog Path

Catalog path	EATON - MOELLER > Central Battery System
--------------	--

Additional Product Information

ETIM for 40071354875 Luminaires (EC001957)

Feature Name

Feature Value

Suitable for labelling type (EF001277)

Insert sheet/plate

With pictogram (EF011099)

No

Monitoring equipment (EF008091)

Safety module for monitoring (central feeded system)

With remote switch connection (EF007947)

Yes

Power supply system (EF000233)

Peripheral (individual battery)
Battery technology (EF004351)
Lithium-ions
Lamp type (EF002423)
LED non-replaceable
With light source (EF005905)
Yes
Lamp holder (EF000048)
Other
Number of lighting heads (EF004258)
1
Housing material (EF001596)
Aluminium
Housing colour (EF000136)
Grey
Material cover (EF004284)
Plastic transparent
Voltage type (EF000187)
AC
Nominal voltage (EF005127)
220 V
Type of control gear (EF000381)
LED driver constant current
Light distributor (EF012170)
Diffuser
Rated life time L70/B50 at 25 °C (EF011870)
13.888888888888806 h
Degree of protection (IP) (EF005474)
IP65
Impact strength (EF004293)
IK10
Protection class according to IEC 61140 (EF000004)
I
Luminaire with limited surface temperature, sign "D" according to EN 60598-2-24 (EF006420)
Yes
Colour temperature (EF009346)
6500 K
Power factor (EF025740)
0.91
Recognition distance (EF008732)
24 m
Nominal operation time (EF012518)
1 h
Width (EF000008)
136 mm
Height/depth (EF001456)
62 mm

Length (EF001438)

303 mm

Type of wiring (EF011868)

Suitable for through wiring

Number of poles (EF001391)

6

Conductor cross section (EF000085)

2.5 mm²

Connection type (EF000124)

Plug-in connection

REQUEST PRICE, AVAILABILITY & TECHNICAL REVIEW

Send EATON - MOELLER / 40071354875 with the required quantity to info@electricaonline.com or use electricaonline.com/request-quote.

GLOBAL OFFICES

Germany: Lise-Meitner-Straße 13, 89081 Ulm | USA: 16225 Park Ten Pl #500, Houston, TX 77084 | UAE: HDS Business Centre Tower, Cluster M, 33rd Floor, JLT, Dubai

Catalog-generated document. Product names, marks and specifications belong to their respective owners. Verify safety-critical, compatibility and certification requirements against the manufacturer documentation before purchase or installation.