

INDUSTRIAL COMPONENT DATA

50AMP 240V AC BS88 FUSE GSA50 EATON ELECTRIC

Fuse-link, high speed, 12 A, AC 240 V, BS88, 18 x 56 mm, aR, BS

Brand: EATON - MOELLER | Manufacturer Part Number: 50AMP 240V AC BS88 FUSE



Manufacturer	EATON - MOELLER
MPN / Reference	50AMP 240V AC BS88 FUSE
Catalog number	GSA50
Category	HRC fuse
Minimum order	20 Pcs
Document ID	EO-6D3C915349
Generated	2026-08-06

Product Overview

Fuse-link, high speed, 12 A, AC 240 V, BS88, 18 x 56 mm, aR, BS

50AMP 240V AC BS88 FUSE

Fuse-link, high speed, 50 A, AC 240 V, DC 200 V, BS88, 18 x 59 mm, aR, BS

Fuse, Fuse-link, high speed, 50 A, AC 240 V, DC 200 V, BS88, 18 x 59 mm, aR, BS, offset bolted tags, Protection of semi-conductor devices, BS88-4, Breaking Capacity 100 kA

STRUCTURED PRODUCT DATA

Technical Specifications

No structured technical attributes are currently available. Submit an RFQ for technical review.

Classification & Catalog Path

Catalog path	EATON - MOELLER > Bussmann Series High speed fuses
--------------	--

Additional Product Information

General specifications

Product Name Eaton Bussmann series high speed british standard fuse

Catalog Number GSA50

EAN 5027590502498

UPC 051712525336

Product Length/Depth 17.5 mm

Product Height 58.5 mm

Product Width 18.2 mm

Product Weight 23.95 g

Compliances CE
Product specifications
Amperage Rating 50 A
Breaking capacity 100 kA
Fuse indicator None
Insulated metal gripping lugs (IMGL) No
Utilization category aR (accompanied semiconductor protection)
Voltage type AC/DC
Rated switching capacity 100 kA
Rated voltage AC 240 V
Rated voltage DC 200 V
Center-to-center distance of connections 43 mm
Mounting dimension M6
Current type AC/DC
Class Class aR
Fuse shape Offset bolted tags
Color None
Construction size Other
Voltage rating 240 V
Type Fuse
Application Semiconductor, DC Common bus, DC drives, power converters/rectifiers
Fuse type GSA
Fuse system (according to IEC 60269) Other
ETIM for GSA50 Circuit breakers and fuses (EC004556)
Feature Name
Feature Value
Fuse system according to IEC 60269 (EF017676)
Other
Fuse construction type according to IEC 60269 (EF015865)
Other
Type of current (EF000143)
AC/DC
Rated voltage AC (EF007682)
240 V
Rated voltage DC (EF012281)
200 V
Rated current (EF000227)
50 A
Utilization category according to IEC 60269 (EF002572)
aR (accompanied semiconductor protection)
Breaking capacity (EF005617)
100 kA
Colour code (EF000931)
None
Type of fuse status indicator (EF004473)
None
Mounting holes (EF021553)

M6

Centre-to-centre distance of connections (EF021151)....

REQUEST PRICE, AVAILABILITY & TECHNICAL REVIEW

Send EATON - MOELLER / 50AMP 240V AC BS88 FUSE with the required quantity to info@electricaonline.com or use electricaonline.com/request-quote.

GLOBAL OFFICES

Germany: Lise-Meitner-Straße 13, 89081 Ulm | USA: 16225 Park Ten Pl #500, Houston, TX 77084 | UAE: HDS Business Centre Tower, Cluster M, 33rd Floor, JLT, Dubai

Catalog-generated document. Product names, marks and specifications belong to their respective owners. Verify safety-critical, compatibility and certification requirements against the manufacturer documentation before purchase or installation.