

INDUSTRIAL COMPONENT DATA

Eaton 9PX 3000i RT3U Marine 9PX3000IRTM 9103-83913

EATON ELECTRIC Eaton 9PX 3000i RT3U Marine

Brand: EATON - MOELLER | Manufacturer Part Number: Eaton 9PX 3000i RT3U Marine



Manufacturer	EATON - MOELLER
MPN / Reference	Eaton 9PX 3000i RT3U Marine
Catalog number	9103-83913
Category	UPS
Minimum order	1 Pcs
Document ID	EO-3B43BC93E9
Generated	2026-08-05

Product Overview

Eaton 9PX 3000i RT3U Marine

Eaton 9PX Marine UPS, 3000 VA, 3000 W, Input: C20, Outputs: (8) C13, (2) C19, Rack/tower, 3U

STRUCTURED PRODUCT DATA

Technical Specifications

No structured technical attributes are currently available. Submit an RFQ for technical review.

Classification & Catalog Path

Catalog path **EATON - MOELLER > Single-phase UPS up to 11kVA**

Additional Product Information

General specifications

Product Name Eaton 9PX marine UPS Catalog Number 9PX3000IRTM Model Code Eaton 9PX 3000i RT3U Marine UPC 743172081667 Product Length/Depth 48.5 cm Product Height 13 cm Product Width 44 cm Product Weight 27.41 kg

Compliances CE Marked

FCC part 15 Class B

TUV

CISPR22 Class B

CSA 22.2

cULus Listed Certifications ENERGY STAR certified

DNV GL Certified

EAC

IEC/EN 62040-1

UL 1778

IEC/EN 62040-2

CE

ETIM for 9PX3000IRTM Data networking products (EC000382)

Feature Name

Feature Value

Input voltage (EF003840)

100 V

Primary frequency (EF009272)

40 Hz

Number of phases primary (EF009275)

1

Output voltage (EF003933)

200 V

Secondary frequency (EF009273)

50 Hz

Output effective power (EF009897)

3000 W

Output apparent power (EF009898)

3000 VA

USB interface (EF002039)

No

With communication interface RS-232 (EF007312)

No

Number of phases secondary (EF009274)

1

SNMP (EF005284)

No

Voltage type (EF000187)

AC

Height (EF000040)

130 mm

Width (EF000008)

440 mm

Depth (EF000049)

485 mm

Weight (EF000167)

27.41 kg

Bridging time full load (EF000428)

9.5 min

Suitable for network-management (EF000432)

No

USV- technology (EF005380)

Online

Construction type (EF000767)

482.6 mm (19 inch) device

Modular (EF007977)

No

Max. voltage distortion output (linear load) (EF009404)

3 %

Output power factor (EF009405)

1

Overall efficiency (EF009406)

94 %

Efficiency in eco-mode (EF009407)

98 %

Potential free switch contact (EF003626)

Yes

Auto shut down function (EF009276)

Yes

Input connection (EF009726)....

REQUEST PRICE, AVAILABILITY & TECHNICAL REVIEW

Send EATON - MOELLER / Eaton 9PX 3000i RT3U Marine with the required quantity to info@electricaonline.com or use electricaonline.com/request-quote.

GLOBAL OFFICES

Germany: Lise-Meitner-Straße 13, 89081 Ulm | USA: 16225 Park Ten Pl #500, Houston, TX 77084 | UAE: HDS Business Centre Tower, Cluster M, 33rd Floor, JLT, Dubai

Catalog-generated document. Product names, marks and specifications belong to their respective owners. Verify safety-critical, compatibility and certification requirements against the manufacturer documentation before purchase or installation.