

INDUSTRIAL COMPONENT DATA

Atlantic LED S 1-8h/D CGLine+ 40071354870 EATON

ELECTRIC Atlantic LED O 1-8h/D CGLine+

Brand: EATON - MOELLER | Manufacturer Part Number: Atlantic LED S 1-8h/D CGLine+



Manufacturer	EATON - MOELLER
MPN / Reference	Atlantic LED S 1-8h/D CGLine+
Catalog number	40071354870
Category	Emergency luminaire
Minimum order	1 Pcs
Document ID	EO-A5B4C3FCA1
Generated	2026-08-04

Product Overview

Atlantic LED O 1-8h/D CGLine+

Eaton Atlantic LED S, Single side exit sign, 24m viewing distance, Escape route, CGLine + technology, LED, Maintained / Non-Maintained operation, IP65, 1h/3h/8h selectable duration, without pictograms

STRUCTURED PRODUCT DATA

Technical Specifications

No structured technical attributes are currently available. Submit an RFQ for technical review.

Classification & Catalog Path

Catalog path **EATON - MOELLER > Central Battery System**

Additional Product Information

ETIM for 40071354870 Luminaires (EC001957)

Feature Name

Feature Value

Suitable for labelling type (EF001277)

Insert sheet/plate

With pictogram (EF011099)

No

Monitoring equipment (EF008091)

Safety module for monitoring (central feeded system)

With remote switch connection (EF007947)

Yes

Power supply system (EF000233)

Peripheral (individual battery)

Battery technology (EF004351)

Lithium-ions

Lamp type (EF002423)

LED non-replaceable

With light source (EF005905)

Yes

Lamp holder (EF000048)

Other

Number of lighting heads (EF004258)

1

Housing material (EF001596)

Aluminium

Housing colour (EF000136)

Grey

Material cover (EF004284)

Plastic transparent

Voltage type (EF000187)

AC

Nominal voltage (EF005127)

220 V

Type of control gear (EF000381)

LED driver constant current

Light distributor (EF012170)

Diffuser

Rated life time L70/B50 at 25 °C (EF011870)

13.888888888888806 h

Degree of protection (IP) (EF005474)

IP65

Impact strength (EF004293)

IK10

Protection class according to IEC 61140 (EF000004)

I

Luminaire with limited surface temperature, sign "D" according to EN 60598-2-24 (EF006420)

Yes

Power factor (EF025740)

0.91

Recognition distance (EF008732)

24 m

Nominal operation time (EF012518)

1 h

Width (EF000008)

136 mm

Height/depth (EF001456)

62 mm

Length (EF001438)

303 mm

Built-in width (EF000846)

150 mm
Built-in length (EF004265)
310 mm
Type of wiring (EF011868)
Suitable for through wiring
Number of poles (EF001391)
6
Conductor cross section (EF000085)
2.5 mm²
Connection type (EF000124)
Pl...

REQUEST PRICE, AVAILABILITY & TECHNICAL REVIEW

Send EATON - MOELLER / Atlantic LED S 1-8h/D CGLine+ with the required quantity to info@electricaonline.com or use electricaonline.com/request-quote.

GLOBAL OFFICES

Germany: Lise-Meitner-Straße 13, 89081 Ulm | USA: 16225 Park Ten Pl #500, Houston, TX 77084 | UAE: HDS Business Centre Tower, Cluster M, 33rd Floor, JLT, Dubai

Catalog-generated document. Product names, marks and specifications belong to their respective owners. Verify safety-critical, compatibility and certification requirements against the manufacturer documentation before purchase or installation.