

INDUSTRIAL COMPONENT DATA

FL4-5 021982 Y7-21982 EATON ELECTRIC Flange, knockout 2x M16, 4x M20, 2x M25/16, 2x M40/25, 3x M50/32, HxWxD..

Brand: EATON - MOELLER | Manufacturer Part Number: FL4-5



Manufacturer	EATON - MOELLER
MPN / Reference	FL4-5
Catalog number	Y7-21982
Category	Gland plate for small distribution boards/switchgear cabinets
Minimum order	1 Pcs
Document ID	EO-6516DBAD00
Generated	2026-08-02

Product Overview

Flange, knockout 2x M16, 4x M20, 2x M25/16, 2x M40/25, 3x M50/32, HxWxD=116x329x23mm

Cable grommets; Predrills 2x M16; 4x M20; 2x M25/16; 2x M40/25; 3x

Eaton xEnergy Safety Ci LV systems LV switchgear. Flange, knockout 2x M16, 4x M20, 2x M25/16, 2x M40/25, 3x M50/32, HxWxD=116x329x23mm

Flange made of insulating material, degree of protection IP65, sponge-rubber, captive gasket, quick mounting using wedge-lock fasteners (included as standard), for 375mm enclosure dimensions, cable entry: 2xM16, 4xM20, 2xM25/16, 2xM40/25, 3xM50/32, RAL 7035

STRUCTURED PRODUCT DATA

Technical Specifications

No structured technical attributes are currently available. Submit an RFQ for technical review.

Classification & Catalog Path

Catalog path	EATON - MOELLER > Insulating Enclosures
--------------	---

Additional Product Information

General specifications

Product Name Eaton xEnergy Safety Ci flange plate Catalog Number 021982 Model Code FL4-5 EAN 4015080219828

Product Length/Depth 115 mm Product Height 23 mm Product Width 330 mm Product Weight 0.272 kg Compliances RoHS conform Product specifications

Used with 375 mm (enclosure dimensions)

Accessory for basic enclosures

Basic enclosure

xEnergy Safety Ci Special features Type Accessory for basic enclosures

Basic enclosure

xEnergy Safety Ci

Features Pre-stamping Accessory/spare part type Flanges Unit type Modular system Number of connector holes 0 Suitable for nominal thread (PG) - max 50 Suitable for nominal thread (PG) - min 16 Cable entry type 2 x M40/25

2 x M25/16

4 x M20

3 x M50/32

2 x M16 Degree of protection Other Surface protection Untreated Shape Straight Material Plastic Model Cable screw gland

Thread type Metric Thickness 4 mm Suitable for cable diameter - max 0 mm Suitable for cable diameter - min 0 mm

ETIM for 021982 Distribution boards (EC000211)

Feature Name

Feature Value

Model (EF000010)

Cable screw gland

Type (EF001139)

Straight

Width (EF000008)

330 mm

Height (EF000040)

23 mm

Thickness (EF000125)

4 mm

Material (EF002169)

Plastic

Surface protection (EF000139)

Untreated

Degree of protection (NEMA) (EF011959)

Other

Pre-stamping (EF001039)

Yes

Number of connector holes (EF005554)

0

Suitable for cable diameter (EF005466)

0 mm

Thread type (EF001758)

Metric

Suitable for nominal thread metric/PG (EF012565)

16

REQUEST PRICE, AVAILABILITY & TECHNICAL REVIEW

Send EATON - MOELLER / FL4-5 with the required quantity to info@electricaonline.com or use electricaonline.com/request-quote.

GLOBAL OFFICES

Germany: Lise-Meitner-Straße 13, 89081 Ulm | USA: 16225 Park Ten Pl #500, Houston, TX 77084 | UAE: HDS Business Centre Tower, Cluster M, 33rd Floor, JLT, Dubai

Catalog-generated document. Product names, marks and specifications belong to their respective owners. Verify safety-critical, compatibility and certification requirements against the manufacturer documentation before purchase or installation.