

INDUSTRIAL COMPONENT DATA

BP-U-600/15-C 293318 EATON ELECTRIC Complete flush-mounting service distribution board with three-point turn..

Brand: EATON - MOELLER | Manufacturer Part Number: BP-U-600/15-C



Manufacturer	EATON - MOELLER
MPN / Reference	BP-U-600/15-C
Catalog number	293318
Category	Small distribution board
Minimum order	1 Pcs
Document ID	EO-206BD0236D
Generated	2026-08-03

Product Overview

Complete flush-mounting service distribution board with three-point turn-lock, W600mm H1500mm
 Flush-mounted service distribution board -?fully assembled, IP30, gray, RAL 7035, width 600 mm, outside height 1500 mm, 216 HP, 9 rows, incl. wall trough, top/bottom panels for the wall trough, flush-mounted door frame and assembly side panel, for MSW assembly configuration only, 240 mm mounting depth, incl. DIN-rail kit, includes front plates (150 mm) with device cutout (45 mm), earthed metal covers, ample wiring area, variable interior fittings with removable mounting frame, well-structured, multilayered design for easily accessible installation: assembly side panel - DIN-rails ... - enclosure, door can be right-hand or left-hand door

STRUCTURED PRODUCT DATA

Technical Specifications

No structured technical attributes are currently available. Submit an RFQ for technical review.

Classification & Catalog Path

Catalog path	EATON - MOELLER
--------------	-----------------

Additional Product Information

Technical data ETIM 7.0 Distribution boards (EG000023) / Small distribution board (EC000214)
 Electric engineering, automation, process control engineering / Electrical installation, device / Electrical distribution system (incl. small distribution board) / Small distribution board () [ACN387011]
 Mounting method Flush mounted (plaster)
 Number of rows 9
 Width in number of modular spacings 24
 Type of cover Door

Cover model Closed
Transparent cover/door No
Material housing Steel
Height mm 1500
Width mm 600
Depth mm 247
Built-in depth mm 240
Internal depth mm 180
DIN-rail Yes
With mounting plate No
Extension possible Yes
EMC-version No
Colour Grey
RAL-number 7035
Degree of protection (IP) IP30
With lock No
Type of closure Other
ETIM for 293318 Distribution boards (EC000214)
Feature Name
Feature Value
Mounting method (EF000003)
Flush mounted
Number of rows (EF000266)
9
Width in number of modular spacings (EF002950)
24
Type of covering (EF000339)
Door
Cover model (EF009212)
Closed
Transparent cover/door (EF006244)
No
Signal passing door (EF015941)
No
With lock (EF006306)
No
Housing material (EF001596)
Steel
Built-in depth (EF000218)
240 mm
Inner depth (EF001131)
180 mm
Earthing terminal block (EF015776)
No
Neutral terminal block (EF015777)
No
DIN-rail (EF001134)

Yes

With mounting plate (EF000118)

No

Extension possible (EF001088)

Yes

EMC-version (EF001062)

No

Colour (EF000007)

Grey

RAL-number (EF000116)

7035

Degree of protection (IP) (EF005474)

IP30

Height (EF000040...

REQUEST PRICE, AVAILABILITY & TECHNICAL REVIEW

Send EATON - MOELLER / BP-U-600/15-C with the required quantity to info@electricaonline.com or use electricaonline.com/request-quote.

GLOBAL OFFICES

Germany: Lise-Meitner-Straße 13, 89081 Ulm | USA: 16225 Park Ten Pl #500, Houston, TX 77084 | UAE: HDS Business Centre Tower, Cluster M, 33rd Floor, JLT, Dubai

Catalog-generated document. Product names, marks and specifications belong to their respective owners. Verify safety-critical, compatibility and certification requirements against the manufacturer documentation before purchase or installation.