

INDUSTRIAL COMPONENT DATA

T0-1-15322/E 010382 Y7-10382 EATON ELECTRIC On switches, Contacts: 2, Spring-return in position 1, 20 A, fro..

Brand: EATON - MOELLER | Manufacturer Part Number: T0-1-15322/E



Manufacturer	EATON - MOELLER
MPN / Reference	T0-1-15322/E
Catalog number	Y7-10382
Category	Control switch
Minimum order	1 Pcs
Document ID	EO-BCED8C62A2
Generated	2026-08-06

Product Overview

On switches, Contacts: 2, Spring-return in position 1, 20 A, front plate: I

STRUCTURED PRODUCT DATA

Technical Specifications

No structured technical attributes are currently available. Submit an RFQ for technical review.

Classification & Catalog Path

Catalog path	EATON - MOELLER > Disconnectors and Cam Switches
--------------	--

Additional Product Information

General specifications

Product Name Eaton Moeller® series T0 On switch Catalog Number 010382 Model Code T0-1-15322/E EAN 4015080103820 Product Length/Depth 76 mm Product Height 48 mm Product Width 48 mm Product Weight 0.083 kg
Certifications UL Category Control No.: NLRV
UL File No.: E36332
CSA Class No.: 3211-05
IEC/EN 60947-3
IEC/EN 60947
CE
CSA-C22.2 No. 94
CSA File No.: 012528
IEC/EN 60204
VDE 0660
UL
CSA

CSA-C22.2 No. 60947-4-1-14

UL 60947-4-1 Catalog Notes Rated Short-time Withstand Current (I_{cw}) for a time of 1 second

ETIM for 010382 Low-voltage industrial controls and switchgear (EC002611)

Feature Name

Feature Value

Type of switch (EF003496)

On/Off switch

Number of poles (EF001391)

2

Max. rated operation voltage U_e AC (EF007355)

690 V

Rated permanent current I_u (EF001389)

20 A

Number of switch positions (EF000231)

2

With zero (off) position (EF001416)

No

With retraction in 0-position (EF002428)

No

Device construction (EF008240)

Built-in device

Width in number of modular spacings (EF002950)

0

Suitable for floor mounting (EF007243)

No

Suitable for front mounting (EF007246)

Yes

Suitable for distribution board installation (EF007262)

No

Suitable for intermediate mounting (EF007264)

No

Complete device in housing (EF007317)

No

Type of control element (EF006976)

Toggle

Front shield size (EF007176)

48x48 mm

Degree of protection (IP), front side (EF003118)

IP65

Degree of protection (NEMA), front side (EF011961)

12

REQUEST PRICE, AVAILABILITY & TECHNICAL REVIEW

Send EATON - MOELLER / T0-1-15322/E with the required quantity to info@electricaonline.com or use electricaonline.com/request-quote.

GLOBAL OFFICES

Germany: Lise-Meitner-Straße 13, 89081 Ulm | USA: 16225 Park Ten Pl #500, Houston, TX 77084 | UAE: HDS Business Centre Tower, Cluster M, 33rd Floor, JLT, Dubai

Catalog-generated document. Product names, marks and specifications belong to their respective owners. Verify safety-critical, compatibility and certification requirements against the manufacturer documentation before purchase or installation.