

INDUSTRIAL COMPONENT DATA

T0-2-15323/IVS 031739 Y7-31739 EATON ELECTRIC On switches, Contacts: 3, Spring-return in position 1, 20 A, f..

Brand: EATON - MOELLER | Manufacturer Part Number: T0-2-15323/IVS



Manufacturer	EATON - MOELLER
MPN / Reference	T0-2-15323/IVS
Catalog number	Y7-31739
Category	Control switch
Minimum order	1 Pcs
Document ID	EO-A5A44CEF8B
Generated	2026-08-05

Product Overview

On switches, Contacts: 3, Spring-return in position 1, 20 A, front plate: I

STRUCTURED PRODUCT DATA

Technical Specifications

No structured technical attributes are currently available. Submit an RFQ for technical review.

Classification & Catalog Path

Catalog path	EATON - MOELLER > Disconnectors and Cam Switches
--------------	--

Additional Product Information

General specifications

Product Name Eaton Moeller® series T0 On switch Catalog Number 031739 Model Code T0-2-15323/IVS EAN 4015080317395 Product Length/Depth 92 mm Product Height 55 mm Product Width 54 mm Product Weight 0.12 kg
Certifications CSA-C22.2 No. 60947-4-1-14
CE
CSA
IEC/EN 60204
UL
UL File No.: E36332
IEC/EN 60947-3
CSA-C22.2 No. 94
UL Category Control No.: NLRV
CSA File No.: 012528
VDE 0660
IEC/EN 60947

UL 60947-4-1

CSA Class No.: 3211-05 Catalog Notes Rated Short-time Withstand Current (Icw) for a time of 1 second

ETIM for 031739 Low-voltage industrial controls and switchgear (EC002611)

Feature Name

Feature Value

Type of switch (EF003496)

On/Off switch

Number of poles (EF001391)

3

Max. rated operation voltage Ue AC (EF007355)

690 V

Rated permanent current Iu (EF001389)

20 A

Number of switch positions (EF000231)

2

With zero (off) position (EF001416)

No

With retraction in 0-position (EF002428)

No

Device construction (EF008240)

Built-in device

Width in number of modular spacings (EF002950)

4

Suitable for floor mounting (EF007243)

Yes

Suitable for front mounting (EF007246)

No

Suitable for distribution board installation (EF007262)

Yes

Suitable for intermediate mounting (EF007264)

No

Complete device in housing (EF007317)

No

Type of control element (EF006976)

Toggle

Front shield size (EF007176)

48x48 mm

Degree of protection (IP), front side (EF003118)

IP30

Degree of protection (NEMA), front side (EF011961)

2

REQUEST PRICE, AVAILABILITY & TECHNICAL REVIEW

Send EATON - MOELLER / T0-2-15323/IVS with the required quantity to info@electricaonline.com or use electricaonline.com/request-quote.

GLOBAL OFFICES

Germany: Lise-Meitner-Straße 13, 89081 Ulm | USA: 16225 Park Ten Pl #500, Houston, TX 77084 | UAE: HDS Business Centre Tower, Cluster M, 33rd Floor, JLT, Dubai

Catalog-generated document. Product names, marks and specifications belong to their respective owners. Verify safety-critical, compatibility and certification requirements against the manufacturer documentation before purchase or installation.