

## INDUSTRIAL COMPONENT DATA

**T0-3-15394/IVS 079198 Y7-79198 EATON ELECTRIC Universal control switches,Contacts 6,Spring-return from posit..**

Brand: EATON - MOELLER | Manufacturer Part Number: T0-3-15394/IVS



|                 |                 |
|-----------------|-----------------|
| Manufacturer    | EATON - MOELLER |
| MPN / Reference | T0-3-15394/IVS  |
| Catalog number  | Y7-79198        |
| Category        | Control switch  |
| Minimum order   | 1 Pcs           |
| Document ID     | EO-9E7C01FCB5   |
| Generated       | 2026-08-06      |

**Product Overview**

Universal control switches,Contacts 6,Spring-return from positions 1 and 2,20A,front plate: 2>000

## STRUCTURED PRODUCT DATA

**Technical Specifications**

No structured technical attributes are currently available. Submit an RFQ for technical review.

**Classification & Catalog Path**

|              |                                                  |
|--------------|--------------------------------------------------|
| Catalog path | EATON - MOELLER > Disconnectors and Cam Switches |
|--------------|--------------------------------------------------|

**Additional Product Information**

## General specifications

Product Name Eaton Moeller® series T0 Universal control switch Catalog Number 079198 Model Code T0-3-15394/IVS  
EAN 4015080791980 Product Length/Depth 101 mm Product Height 55 mm Product Width 54 mm Product Weight 0.155 kg  
Certifications CSA File No.: 012528  
UL 60947-4-1  
CSA  
CE  
IEC/EN 60204  
IEC/EN 60947  
CSA-C22.2 No. 60947-4-1-14  
CSA-C22.2 No. 94  
IEC/EN 60947-3  
CSA Class No.: 3211-05  
UL Category Control No.: NLRV  
UL

VDE 0660

UL File No.: E36332 Catalog Notes Rated Short-time Withstand Current (Icw) for a time of 1 second

ETIM for 079198 Low-voltage industrial controls and switchgear (EC002611)

Feature Name

Feature Value

Type of switch (EF003496)

Group switch

Number of poles (EF001391)

3

Max. rated operation voltage Ue AC (EF007355)

690 V

Rated permanent current Iu (EF001389)

20 A

Number of switch positions (EF000231)

3

With zero (off) position (EF001416)

Yes

With retraction in 0-position (EF002428)

Yes

Device construction (EF008240)

Built-in device

Width in number of modular spacings (EF002950)

0

Suitable for floor mounting (EF007243)

Yes

Suitable for front mounting (EF007246)

No

Suitable for distribution board installation (EF007262)

Yes

Suitable for intermediate mounting (EF007264)

No

Complete device in housing (EF007317)

No

Type of control element (EF006976)

Toggle

Front shield size (EF007176)

48x48 mm

Degree of protection (IP), front side (EF003118)

IP30

Degree of protection (NEMA), front side (EF011961)

2

## REQUEST PRICE, AVAILABILITY & TECHNICAL REVIEW

Send EATON - MOELLER / T0-3-15394/IVS with the required quantity to [info@electricaonline.com](mailto:info@electricaonline.com) or use [electricaonline.com/request-quote](https://electricaonline.com/request-quote).

### GLOBAL OFFICES

Germany: Lise-Meitner-Straße 13, 89081 Ulm | USA: 16225 Park Ten Pl #500, Houston, TX 77084 | UAE: HDS Business Centre Tower, Cluster M, 33rd Floor, JLT, Dubai

Catalog-generated document. Product names, marks and specifications belong to their respective owners. Verify safety-critical, compatibility and certification requirements against the manufacturer documentation before purchase or installation.