

INDUSTRIAL COMPONENT DATA

**T0-2-15907/I1/SVC(C,E,G-J) 207097 Y7-207097 EATON
ELECTRIC Changeoverswitches, 4 pole, 20 A, Padlocking
feat..**

Brand: EATON - MOELLER | Manufacturer Part Number: T0-2-15907/I1/SVC(C,E,G-J)



Manufacturer	EATON - MOELLER
MPN / Reference	T0-2-15907/I1/SVC(C,E,G-J)
Catalog number	Y7-207097
Category	Control switch
Minimum order	1 Pcs
Document ID	EO-CA7D42EC3E
Generated	2026-08-04

Product Overview

Changeoverswitches, 4 pole, 20 A, Padlocking feature SVC, front plate AUTO-0-HAND

T0-2-15907/I1/SVC(C,E,G-J)

Eaton Moeller® series T0 Changeover switches, T0, 20 A, surface mounting, 4 pole, with black thumb grip and front plate, Padlocking feature SVC

Changeover switch, Product range: Switch with locking mechanism, Standards: IEC/EN 60947, VDE 0660, IEC/EN 60204, Switch-disconnector according to IEC/EN 60947-3, Part group reference: T0, with black thumb grip and front plate, 4 pole, Padlocking feature SVC, Locking facility: Lockable in position 0 with cover interlock, Degree of Protection: IP65, Design: surface mounting, Switching angle: 45 °, Switching performance: momentary/maintained, 2 contact unit(s), Rated uninterrupted current: I_u= 20 A, Notes: If the locking slide is interlocked with lock in HAND position, START can also be actuated without removing the lock, but not 0. , Only permissible when there is a separate OFF button, front plate: AUTO-0-HAND

STRUCTURED PRODUCT DATA

Technical Specifications

No structured technical attributes are currently available. Submit an RFQ for technical review.

Classification & Catalog Path

Catalog path

EATON - MOELLER > Disconnectors and Cam Switches

Additional Product Information

General specifications

Product Name Eaton Moeller® series T0 Changeover switch Catalog Number 207097 Model Code

T0-2-15907/I1/SVC(C,E,G-J) EAN 4015082070977 Product Length/Depth 137 mm Product Height 102 mm Product Width

80 mm Product Weight 0.346 kg Certifications VDE 0660

IEC/EN 60204

IEC/EN 60947-3

IEC/EN 60947

ETIM for 207097 Low-voltage industrial controls and switchgear (EC002611)

Feature Name

Feature Value

Type of switch (EF003496)

Reverser

Number of poles (EF001391)

4

Max. rated operation voltage Ue AC (EF007355)

690 V

Rated permanent current Iu (EF001389)

20 A

Number of switch positions (EF000231)

4

With zero (off) position (EF001416)

Yes

With retraction in 0-position (EF002428)

No

Device construction (EF008240)

Surface mounted device

Width in number of modular spacings (EF002950)

0

Suitable for floor mounting (EF007243)

Yes

Suitable for front mounting (EF007246)

No

Suitable for distribution board installation (EF007262)

No

Suitable for intermediate mounting (EF007264)

No

Complete device in housing (EF007317)

Yes

Type of control element (EF006976)

Toggle

Front shield size (EF007176)

48x48 mm

Degree of protection (IP), front side (EF003118)

IP65

Degree of protection (NEMA), front side (EF011961)

12

REQUEST PRICE, AVAILABILITY & TECHNICAL REVIEW

Send EATON - MOELLER / T0-2-15907/I1/SVC(C,E,G-J) with the required quantity to info@electricaonline.com or use electricaonline.com/request-quote.

GLOBAL OFFICES

Germany: Lise-Meitner-Straße 13, 89081 Ulm | USA: 16225 Park Ten Pl #500, Houston, TX 77084 | UAE: HDS Business Centre Tower, Cluster M, 33rd Floor, JLT, Dubai

Catalog-generated document. Product names, marks and specifications belong to their respective owners. Verify safety-critical, compatibility and certification requirements against the manufacturer documentation before purchase or installation.