


INDUSTRIAL COMPONENT DATA

T0-3-15394/EZ 074452 Y7-74452 EATON ELECTRIC Universal control switches, Contacts: 6, Spring-return from pos..

Brand: EATON - MOELLER | Manufacturer Part Number: T0-3-15394/EZ



Manufacturer	EATON - MOELLER
MPN / Reference	T0-3-15394/EZ
Catalog number	Y7-74452
Category	Control switch
Minimum order	1 Pcs
Document ID	EO-59E8DB7F50
Generated	2026-08-05

Product Overview

Universal control switches, Contacts: 6, Spring-return from positions 1 and 2, 20 A, front plate: 2>000

STRUCTURED PRODUCT DATA

Technical Specifications

No structured technical attributes are currently available. Submit an RFQ for technical review.

Classification & Catalog Path

Catalog path	EATON - MOELLER > Disconnectors and Cam Switches
--------------	--

Additional Product Information

General specifications

Product Name Eaton Moeller® series T0 Universal control switch Catalog Number 074452 Model Code T0-3-15394/EZ
EAN 4015080744528 Product Length/Depth 115 mm Product Height 48 mm Product Width 48 mm Product Weight 0.153 kg
Certifications UL 60947-4-1
VDE 0660
CSA File No.: 012528
CSA-C22.2 No. 94
IEC/EN 60204
IEC/EN 60947
CSA
CSA Class No.: 3211-05
UL
CSA-C22.2 No. 60947-4-1-14
UL Category Control No.: NLRV
CE

UL File No.: E36332

IEC/EN 60947-3 Catalog Notes Rated Short-time Withstand Current (Icw) for a time of 1 second

ETIM for 074452 Low-voltage industrial controls and switchgear (EC002611)

Feature Name

Feature Value

Type of switch (EF003496)

Group switch

Number of poles (EF001391)

3

Max. rated operation voltage Ue AC (EF007355)

690 V

Rated permanent current Iu (EF001389)

20 A

Number of switch positions (EF000231)

3

With zero (off) position (EF001416)

Yes

With retraction in 0-position (EF002428)

Yes

Device construction (EF008240)

Built-in device

Width in number of modular spacings (EF002950)

0

Suitable for floor mounting (EF007243)

No

Suitable for front mounting (EF007246)

Yes

Suitable for distribution board installation (EF007262)

No

Suitable for intermediate mounting (EF007264)

No

Complete device in housing (EF007317)

No

Type of control element (EF006976)

Toggle

Front shield size (EF007176)

48x48 mm

Degree of protection (IP), front side (EF003118)

IP65

Degree of protection (NEMA), front side (EF011961)

12

REQUEST PRICE, AVAILABILITY & TECHNICAL REVIEW

Send EATON - MOELLER / T0-3-15394/EZ with the required quantity to info@electricaonline.com or use electricaonline.com/request-quote.

GLOBAL OFFICES

Germany: Lise-Meitner-Straße 13, 89081 Ulm | USA: 16225 Park Ten Pl #500, Houston, TX 77084 | UAE: HDS Business Centre Tower, Cluster M, 33rd Floor, JLT, Dubai

Catalog-generated document. Product names, marks and specifications belong to their respective owners. Verify safety-critical, compatibility and certification requirements against the manufacturer documentation before purchase or installation.