

INDUSTRIAL COMPONENT DATA

XMI2408-1 283976 Y7-283976 EATON ELECTRIC Fuse-link, low voltage, 1.5 A, AC 600 V, 10 x 38 mm, supplemental,...

Brand: EATON - MOELLER | Manufacturer Part Number: XMI2408-1



Manufacturer	EATON - MOELLER
MPN / Reference	XMI2408-1
Catalog number	Y7-283976
Category	Component for installation (switchgear cabinet)
Minimum order	1 Pcs
Document ID	EO-33ACF2DC0E
Generated	2026-08-04

Product Overview

Fuse-link, low voltage, 1.5 A, AC 600 V, 10 x 38 mm, supplemental, UL, CSA, fast-acting
XMI2408-1

Mounting kit, IZM2, 3200A, 4p, withdrawable, W=800mm, grey

STRUCTURED PRODUCT DATA

Technical Specifications

No structured technical attributes are currently available. Submit an RFQ for technical review.

Classification & Catalog Path

Catalog path	EATON - MOELLER > Enclosures
--------------	------------------------------

Additional Product Information

Delivery program Product range Fuse

Basic function Fuse-link

Field of application low voltage

Rated current I A 1.5

Rated voltage AC 600 V

Size 10 x 38 mm

Utilization category supplemental

Description colour-coded

black

Breaking Capacity kA 100

usable for size/applications control circuits, lighting circuits, meter circuits

Release characteristic class fast-acting

Standard/Approval UL

CSA

Shape cylindrical

Material melamine tube

Standards/Regulations UL 248-14

Technical data ETIM 7.0 Circuit breakers and fuses (EG000020) / Cylindrical fuse (EC002704)

Electric engineering, automation, process control engineering / Electrical installation, device / Safety fuse inserts /

Cylindrical fuse (safety fuse) () [AFZ797013])

Size 10x38 mm

Rated voltage V 600 - 600

Rated voltage Other

Voltage type AC

Utilization category Other

Rated operating frequency Hz 45 - 62

Nominal current A 1.5

With striker No

Release characteristic Other

Breaking capacity kA 100

ETIM for 283976 Cabinets and enclosures (EC002620)

Feature Name

Feature Value

Model (EF000010)

Mounting kit

Suitable for enclosure building width (EF000326)

800 mm

Suitable for enclosure building height (EF009583)

2000 mm

Suitable for enclosure building depth (EF000327)

0 mm

Width (EF000008)

800 mm

Height (EF000040)

100 mm

Depth (EF000049)

650 mm

Max. load capacity (EF000258)

0 kg

Material (EF002169)

Metal

Colour (EF000007)

Grey

RAL-number (EF000116)

7035

REQUEST PRICE, AVAILABILITY & TECHNICAL REVIEW

Send EATON - MOELLER / XMI2408-1 with the required quantity to info@electricaonline.com or use electricaonline.com/request-quote.

GLOBAL OFFICES

Germany: Lise-Meitner-Straße 13, 89081 Ulm | USA: 16225 Park Ten Pl #500, Houston, TX 77084 | UAE: HDS Business Centre Tower, Cluster M, 33rd Floor, JLT, Dubai

Catalog-generated document. Product names, marks and specifications belong to their respective owners. Verify safety-critical, compatibility and certification requirements against the manufacturer documentation before purchase or installation.