

## INDUSTRIAL COMPONENT DATA

# M22S-DDL-GR-GB1/GB0 216703 Y7-216703 EATON ELECTRIC

## Double actuator pushbutton, +indicator light, green STAR..

Brand: EATON - MOELLER | Manufacturer Part Number: M22S-DDL-GR-GB1/GB0



|                 |                               |
|-----------------|-------------------------------|
| Manufacturer    | EATON - MOELLER               |
| MPN / Reference | M22S-DDL-GR-GB1/GB0           |
| Catalog number  | Y7-216703                     |
| Category        | Front element for push button |
| Minimum order   | 5 Pcs                         |
| Document ID     | EO-C4CE8483E3                 |
| Generated       | 2026-08-05                    |

### Product Overview

Double actuator pushbutton, +indicator light, green START/white/red STOP

M22S-DDL-GR-GB1/GB0

Eaton Moeller® series M22 Double actuator pushbutton, RMQ-Titan, Actuators and indicator lights non-flush, momentary, White lens, green, red, inscribed, Bezel: black, START/STOP

Double actuator pushbutton, Product range: RMQ-Titan, Single unit, Design: Actuators and indicator lights non-flush, momentary, Description: White lens, button plate: green, red, Button plate inscribed, Degree of Protection: IP66, Bezel: black, Connection to SmartWire-DT: yes, with SWD-RMQ connections, Front dimensions: 29,7 x 54,7, Standards: IEC/EN 60947, VDE 0660

## STRUCTURED PRODUCT DATA

### Technical Specifications

No structured technical attributes are currently available. Submit an RFQ for technical review.

### Classification & Catalog Path

Catalog path

EATON - MOELLER &gt; Auxiliary Control and Signalling Elements

### Additional Product Information

General specifications

Product Name Eaton Moeller® series M22 Double actuator pushbutton Catalog Number 216703 Model Code

M22S-DDL-GR-GB1/GB0 EAN 4015082167035 Product Length/Depth 30 mm Product Height 55 mm Product Width 30 mm

Product Weight 0.015 kg Certifications UL Category Control No.: NKCR

UL 508

VDE 0660

UL

CSA-C22.2 No. 14-05

CSA

CSA-C22.2 No. 94-91

CE

IEC/EN 60947-5

CSA File No.: 012528

IEC/EN 60947

UL File No.: E29184

CSA Class No.: 3211-03

DNV

GL

LR

ETIM for 216703 Low-voltage industrial controls and switchgear (EC000221)

Feature Name

Feature Value

Colour button (EF000190)

Red/green

Number of command positions (EF001372)

2

Construction type lens (EF006253)

Oval

Hole diameter (EF000079)

22.5 mm

Width opening (EF004565)

0 mm

Height opening (EF004778)

0 mm

Type of button (EF001546)

Flat

Suitable for lighting (EF001142)

Yes

With protective cover (EF005500)

No

Labelled (EF001537)

Yes

Switching function latching (EF007447)

No

Spring-return (EF001407)

Yes

With front ring (EF006014)

Yes

Material front ring (EF005972)

Plastic

Colour front ring (EF002429)

Black

Degree of protection (IP), front side (EF003118)

IP66

Degree of protection (NEMA), front side (EF011961)

4X

**REQUEST PRICE, AVAILABILITY & TECHNICAL REVIEW**

Send EATON - MOELLER / M22S-DDL-GR-GB1/GB0 with the required quantity to [info@electricaonline.com](mailto:info@electricaonline.com) or use [electricaonline.com/request-quote](https://electricaonline.com/request-quote).

**GLOBAL OFFICES**

Germany: Lise-Meitner-Straße 13, 89081 Ulm | USA: 16225 Park Ten Pl #500, Houston, TX 77084 | UAE: HDS Business Centre Tower, Cluster M, 33rd Floor, JLT, Dubai

Catalog-generated document. Product names, marks and specifications belong to their respective owners. Verify safety-critical, compatibility and certification requirements against the manufacturer documentation before purchase or installation.