

INDUSTRIAL COMPONENT DATA

M22-DDL-GR 216698 Y7-216698 EATON ELECTRIC Double actuator pushbutton, +indicator light, green/white/red

Brand: EATON - MOELLER | Manufacturer Part Number: M22-DDL-GR



Manufacturer	EATON - MOELLER
MPN / Reference	M22-DDL-GR
Catalog number	Y7-216698
Category	Front element for push button
Minimum order	5 Pcs
Document ID	EO-9AA94FDF69
Generated	2026-08-01

Product Overview

Double actuator pushbutton, +indicator light, green/white/red

M22-DDL-GR

Eaton Moeller® series M22 Double actuator pushbutton, RMQ-Titan, Actuators and indicator lights non-flush, momentary, White lens, green, red, Blank, Bezel: titanium

Double actuator pushbutton, Product range: RMQ-Titan, Single unit, Design: Actuators and indicator lights non-flush, momentary, Description: White lens, button plate: green, red, Button plate Blank, Degree of Protection: IP66, Bezel: titanium, Connection to SmartWire-DT: yes, with SWD-RMQ connections, Front dimensions: 29,7 x 54,7, Standards: IEC/EN 60947, VDE 0660

STRUCTURED PRODUCT DATA

Technical Specifications

No structured technical attributes are currently available. Submit an RFQ for technical review.

Classification & Catalog Path

Catalog path

EATON - MOELLER > Auxiliary Control and Signalling Elements

Additional Product Information

General specifications

Product Name Eaton Moeller® series M22 Double actuator pushbutton Catalog Number 216698 Model Code M22-DDL-GR
EAN 4015082166984 Product Length/Depth 30 mm Product Height 55 mm Product Width 30 mm Product Weight 0.015 kg

Compliances CE Marked Certifications EN 60947-5

CSA Std. C22.2 No. 94-91

IEC 60947-5

CSA Std. C22.2 No. 14-05

VDE

CSA-C22.2 No. 14-05

CSA File No.: 012528

UL

UL 508

UL Category Control No.: NKCR

UL File No.: E29184

CSA-C22.2 No. 94-91

IEC/EN 60947

CSA

CE

CSA Class No.: 3211-03

IEC/EN 60947-5

VDE 0660

DNV

GL

LR

ETIM for 216698 Low-voltage industrial controls and switchgear (EC000221)

Feature Name

Feature Value

Colour button (EF000190)

Red/green

Number of command positions (EF001372)

2

Construction type lens (EF006253)

Oval

Hole diameter (EF000079)

22.5 mm

Width opening (EF004565)

0 mm

Height opening (EF004778)

0 mm

Type of button (EF001546)

Flat

Suitable for lighting (EF001142)

Yes

With protective cover (EF005500)

No

Labelled (EF001537)

No

Switching function latching (EF007447)

No

Spring-return (EF001407)

Yes

With front ring (EF006014)

Yes

Material front ring (EF005972)

Plastic

Colour front ring (EF002429)

Chrome

Degree of protection (IP), front side (EF003118)

IP66

Degree of protection (NEMA), front side (EF011961)

4X

REQUEST PRICE, AVAILABILITY & TECHNICAL REVIEW

Send EATON - MOELLER / M22-DDL-GR with the required quantity to info@electricaonline.com or use electricaonline.com/request-quote.

GLOBAL OFFICES

Germany: Lise-Meitner-Straße 13, 89081 Ulm | USA: 16225 Park Ten Pl #500, Houston, TX 77084 | UAE: HDS Business Centre Tower, Cluster M, 33rd Floor, JLT, Dubai

Catalog-generated document. Product names, marks and specifications belong to their respective owners. Verify safety-critical, compatibility and certification requirements against the manufacturer documentation before purchase or installation.