

INDUSTRIAL COMPONENT DATA

M22-DDL-WS-GB1/GB0 216708 Y7-216708 EATON ELECTRIC

Double actuator pushbutton, +indicator light, white START..

Brand: EATON - MOELLER | Manufacturer Part Number: M22-DDL-WS-GB1/GB0



Manufacturer	EATON - MOELLER
MPN / Reference	M22-DDL-WS-GB1/GB0
Catalog number	Y7-216708
Category	Front element for push button
Minimum order	5 Pcs
Document ID	EO-8562D46A25
Generated	2026-08-03

Product Overview

Double actuator pushbutton, +indicator light, white START/white/black STOP

M22-DDL-WS-GB1/GB0

Eaton Moeller® series M22 Double actuator pushbutton, RMQ-Titan, Actuators and indicator lights non-flush, momentary, White lens, white, black, inscribed, Bezel: titanium, START/STOP

Double actuator pushbutton, Product range: RMQ-Titan, Single unit, Design: Actuators and indicator lights non-flush, momentary, Description: White lens, button plate: white, black, Button plate inscribed, Degree of Protection: IP66, Bezel: titanium, Connection to SmartWire-DT: yes, with SWD-RMQ connections, Front dimensions: 29,7 x 54,7, Standards: IEC/EN 60947, VDE 0660

STRUCTURED PRODUCT DATA

Technical Specifications

No structured technical attributes are currently available. Submit an RFQ for technical review.

Classification & Catalog Path

Catalog path	EATON - MOELLER > Auxiliary Control and Signalling Elements
--------------	---

Additional Product Information

General specifications

Product Name Eaton Moeller® series M22 Double actuator pushbutton Catalog Number 216708 Model Code

M22-DDL-WS-GB1/GB0 EAN 4015082167080 Product Length/Depth 30 mm Product Height 55 mm Product Width 30 mm

Product Weight 0.015 kg Certifications IEC/EN 60947

UL Category Control No.: NKCR

CSA File No.: 012528

CSA

CSA Class No.: 3211-03

CSA-C22.2 No. 14-05

IEC/EN 60947-5

UL File No.: E29184

CE

CSA-C22.2 No. 94-91

UL 508

VDE 0660

UL

DNV

GL

LR

ETIM for 216708 Low-voltage industrial controls and switchgear (EC000221)

Feature Name

Feature Value

Colour button (EF000190)

Black and white

Number of command positions (EF001372)

2

Construction type lens (EF006253)

Oval

Hole diameter (EF000079)

22.5 mm

Width opening (EF004565)

0 mm

Height opening (EF004778)

0 mm

Type of button (EF001546)

Flat

Suitable for lighting (EF001142)

Yes

With protective cover (EF005500)

No

Labelled (EF001537)

Yes

Switching function latching (EF007447)

No

Spring-return (EF001407)

Yes

With front ring (EF006014)

Yes

Material front ring (EF005972)

Plastic

Colour front ring (EF002429)

Titanium

Degree of protection (IP), front side (EF003118)

IP66

Degree of protection (NEMA), front side (EF011961)

4X

REQUEST PRICE, AVAILABILITY & TECHNICAL REVIEW

Send EATON - MOELLER / M22-DDL-WS-GB1/GB0 with the required quantity to info@electricaonline.com or use electricaonline.com/request-quote.

GLOBAL OFFICES

Germany: Lise-Meitner-Straße 13, 89081 Ulm | USA: 16225 Park Ten Pl #500, Houston, TX 77084 | UAE: HDS Business Centre Tower, Cluster M, 33rd Floor, JLT, Dubai

Catalog-generated document. Product names, marks and specifications belong to their respective owners. Verify safety-critical, compatibility and certification requirements against the manufacturer documentation before purchase or installation.