

INDUSTRIAL COMPONENT DATA

EBH0013TBM8 EATON ELECTRIC Switch disconnecter, low voltage, 160 A, AC 690 V, NH000, AC21B, 3P, IEC, 60mm bu..

Brand: EATON - MOELLER | Manufacturer Part Number: EBH0013TBM8



Manufacturer	EATON - MOELLER
MPN / Reference	EBH0013TBM8
Catalog number	10000
Category	Fuse switch disconnecter
Minimum order	1 Pcs
Document ID	EO-0E6AFEB93
Generated	2026-08-06

Product Overview

SIZE 00 HOR FSD - 60MM BUS:M8 SCREWS BTM

Eaton Bussmann series low voltage NH fuse base, Switch disconnecter, low voltage, 160 A, AC 690 V, NH00, AC23B, 3P, IEC, 60mm busbar, cable terminal - Bottom, for connection of conductors with lug terminals

Fuse accessory, Switch disconnecter, low voltage, 160 A, AC 690 V, NH00, AC23B, 3P, IEC, Horizontal, 60 mm busbar mounting, Bottom cable terminal, lug terminals, M8 screws, NH00 fuse-links, IEC 60947-1, IEC 60947-3, IP20

STRUCTURED PRODUCT DATA

Technical Specifications

No structured technical attributes are currently available. Submit an RFQ for technical review.

Classification & Catalog Path

Catalog path	EATON - MOELLER > Bussmann Series Low Voltage fuses and accessories
--------------	---

Additional Product Information

General specifications

Product Name Eaton Bussmann series low voltage NH fuse base Catalog Number EBH0013TBM8 Model Code SIZE 00 HOR FSD - 60MM BUS:M8 SCREWS BTM EAN 5027590336253 Product Length/Depth 210 mm Product Height 140 mm Product Width 110 mm Product Weight 999 g Compliances CE Certifications IEC/EN 60947-1

IEC 60947-3 Electrical rating

Amperage Rating 160 A Voltage rating 690 Product specifications

Number of poles Three-pole Mounting method DIN rail

60 mm busbar mounting

ETIM for EBH0013TBM8 Low-voltage industrial controls and switchgear (EC001040)

Feature Name

Feature Value

Version as main switch (EF006981)
No
Version as safety switch (EF006985)
No
Max. rated operation voltage U_e AC (EF007355)
690 V
Rated permanent current I_u (EF001389)
160 A
Rated operation power at AC-23, 400 V (EF007027)
0.064 kW
Conditioned rated short-circuit current I_q (EF001444)
0.08 kA
Suitable for fuses (EF006692)
NH00
Number of poles (EF001391)
3
With error protection (EF007384)
No
Type of electrical connection of main circuit (EF006819)
Screw connection
Cable entry (EF000537)
Below
Equipped with connectors (EF011696)
No
Suitable for floor mounting (EF007243)
No
Suitable for front mounting (EF007246)
No
Suitable for busbar mounting (EF007259)
Yes
Type of control element (EF006976)
Cover grip
Position control element (EF009410)
Front
Motor drive optional (EF007386)
No
Motor drive integrated (EF006697)
No
Version as emergency stop installation (EF006959)
No
Degree of protection (IP), front....

REQUEST PRICE, AVAILABILITY & TECHNICAL REVIEW

Send EATON - MOELLER / EBH0013TBM8 with the required quantity to info@electricaonline.com or use electricaonline.com/request-quote.

GLOBAL OFFICES

Germany: Lise-Meitner-Straße 13, 89081 Ulm | USA: 16225 Park Ten Pl #500, Houston, TX 77084 | UAE: HDS Business Centre Tower, Cluster M, 33rd Floor, JLT, Dubai

Catalog-generated document. Product names, marks and specifications belong to their respective owners. Verify safety-critical, compatibility and certification requirements against the manufacturer documentation before purchase or installation.