

INDUSTRIAL COMPONENT DATA

EBH123TBS8 EATON ELECTRIC SASY IEC busbar support mounting kit for MSW configuration, 1 pole, W x H 600 x 10..

Brand: EATON - MOELLER | Manufacturer Part Number: EBH123TBS8



Manufacturer	EATON - MOELLER
MPN / Reference	EBH123TBS8
Catalog number	10000
Category	Fuse switch disconnecter
Minimum order	1 Pcs
Document ID	EO-4757EB3B76
Generated	2026-08-05

Product Overview

SIZE 1 HOR FSD-100MM BUS, BOT TER :S- BR

Eaton Busmann series low voltage NH fuse base, Switch disconnecter, low voltage, 250 A, AC 690 V, NH1, AC23B, 3P, IEC, 100mm busbar, bottom cable terminals, for connection of round conductors - S-bridge clamps

Fuse accessory, Switch disconnecter, low voltage, 250 A, AC 690 V, NH1, AC23B, 3P, IEC, Horizontal, 100 mm busbar mounting, bottom cable terminals, S-bridge clamps, NH1 fuse-links, IEC 60947-1, IEC 60947-3, IP30

STRUCTURED PRODUCT DATA

Technical Specifications

No structured technical attributes are currently available. Submit an RFQ for technical review.

Classification & Catalog Path

Catalog path EATON - MOELLER > Busmann Series Low Voltage fuses and accessories

Additional Product Information

General specifications

Product Name Eaton Busmann series low voltage NH fuse base Catalog Number EBH123TBS8 EAN 5027590540063

Product Length/Depth 280 mm Product Height 170 mm Product Width 190 mm Product Weight 2960 g Compliances CE

Certifications IEC/EN 60947-1

IEC 60947-3 Electrical rating

Amperage Rating 250 A Voltage rating 690 Product specifications

Number of poles Three-pole Mounting method 60 mm busbar mounting

100 mm busbar mounting

Mounting plate

ETIM for EBH123TBS8 Low-voltage industrial controls and switchgear (EC001040)

Feature Name

Feature Value

Version as main switch (EF006981)

No

Version as safety switch (EF006985)

No

Max. rated operation voltage Ue AC (EF007355)

690 V

Rated permanent current Iu (EF001389)

250 A

Rated operation power at AC-23, 400 V (EF007027)

0.1 kW

Conditioned rated short-circuit current Iq (EF001444)

0.08 kA

Suitable for fuses (EF006692)

NH1

Number of poles (EF001391)

3

With error protection (EF007384)

No

Type of electrical connection of main circuit (EF006819)

Cable clamp

Cable entry (EF000537)

Below

Equipped with connectors (EF011696)

No

Suitable for floor mounting (EF007243)

No

Suitable for front mounting (EF007246)

No

Suitable for busbar mounting (EF007259)

Yes

Type of control element (EF006976)

Cover grip

Position control element (EF009410)

Front

Motor drive optional (EF007386)

No

Motor drive integrated (EF006697)

No

Version as emergency stop installation (EF006959)

No

Degree of protection (IP), front side (EF003118)

IP30

REQUEST PRICE, AVAILABILITY & TECHNICAL REVIEW

Send EATON - MOELLER / EBH123TBS8 with the required quantity to info@electricaonline.com or use electricaonline.com/request-quote.

GLOBAL OFFICES

Germany: Lise-Meitner-Straße 13, 89081 Ulm | USA: 16225 Park Ten Pl #500, Houston, TX 77084 | UAE: HDS Business Centre Tower, Cluster M, 33rd Floor, JLT, Dubai

Catalog-generated document. Product names, marks and specifications belong to their respective owners. Verify safety-critical, compatibility and certification requirements against the manufacturer documentation before purchase or installation.