

INDUSTRIAL COMPONENT DATA

EBH103TSV EATON ELECTRIC Switch disconnector, low voltage, 630 A, AC 690 V, NH3, AC21B, 3P, IEC, 185 mm busb..

Brand: EATON - MOELLER | Manufacturer Part Number: EBH103TSV



Manufacturer	EATON - MOELLER
MPN / Reference	EBH103TSV
Catalog number	10000
Category	Fuse switch disconnector
Minimum order	1 Pcs
Document ID	EO-9BF4FAD1E1
Generated	2026-08-05

Product Overview

SIZE 1 HOR FSD, MOUNT PLATE:S-BRIDGE V-T

Eaton Bussmann series low voltage NH fuse base, Switch disconnector, low voltage, 250 A, AC 690 V, NH1, AC23B, 3P, IEC, plate mounting, for connection of round conductors, top terminals, S-bridge terminals, bottom terminals, V-terminals
 Fuse accessory, Switch disconnector, low voltage, 250 A, AC 690 V, NH1, AC23B, 3P, IEC, Horizontal, mounting plate type, top S-bridge clamps, bottom V-clamps, NH1 fuse-links, IEC 60947-1, IEC 60947-3, IP30

STRUCTURED PRODUCT DATA

Technical Specifications

No structured technical attributes are currently available. Submit an RFQ for technical review.

Classification & Catalog Path

Catalog path EATON - MOELLER > Bussmann Series Low Voltage fuses and accessories

Additional Product Information

General specifications

Product Name Eaton Bussmann series low voltage NH fuse base Catalog Number EBH103TSV EAN 5027590334990
 Product Length/Depth 270 mm Product Height 130 mm Product Width 185 mm Product Weight 2380 g Compliances CE
 Certifications IEC/EN 60947-1
 IEC 60947-3 Electrical rating
 Amperage Rating 250 A Voltage rating 690 Product specifications
 Number of poles Three-pole Mounting method 60 mm busbar mounting
 100 mm busbar mounting
 Mounting plate
 ETIM for EBH103TSV Low-voltage industrial controls and switchgear (EC001040)
 Feature Name

Feature Value

Version as main switch (EF006981)

No

Version as safety switch (EF006985)

No

Max. rated operation voltage Ue AC (EF007355)

690 V

Rated permanent current Iu (EF001389)

250 A

Rated operation power at AC-23, 400 V (EF007027)

0.1 kW

Conditioned rated short-circuit current Iq (EF001444)

0.08 kA

Suitable for fuses (EF006692)

NH1

Number of poles (EF001391)

3

With error protection (EF007384)

No

Type of electrical connection of main circuit (EF006819)

Cable clamp

Cable entry (EF000537)

Other

Equipped with connectors (EF011696)

No

Suitable for floor mounting (EF007243)

No

Suitable for front mounting (EF007246)

Yes

Suitable for busbar mounting (EF007259)

No

Type of control element (EF006976)

Cover grip

Position control element (EF009410)

Front

Motor drive optional (EF007386)

No

Motor drive integrated (EF006697)

No

Version as emergency stop installation (EF006959)

No

Degree of protection (IP), front side (EF003118)

IP30

REQUEST PRICE, AVAILABILITY & TECHNICAL REVIEW

Send EATON - MOELLER / EBH1O3TSV with the required quantity to info@electricaonline.com or use electricaonline.com/request-quote.

GLOBAL OFFICES

Germany: Lise-Meitner-Straße 13, 89081 Ulm | USA: 16225 Park Ten Pl #500, Houston, TX 77084 | UAE: HDS Business Centre Tower, Cluster M, 33rd Floor, JLT, Dubai

Catalog-generated document. Product names, marks and specifications belong to their respective owners. Verify safety-critical, compatibility and certification requirements against the manufacturer documentation before purchase or installation.