

INDUSTRIAL COMPONENT DATA

EBH3O3TM2 EATON ELECTRIC Switch disconnecter, low voltage, 160 A, AC 690 V, NH000, AC21B, 3P, IEC, plate mou..

Brand: EATON - MOELLER | Manufacturer Part Number: EBH3O3TM2



Manufacturer	EATON - MOELLER
MPN / Reference	EBH3O3TM2
Catalog number	10000
Category	Fuse switch disconnecter
Minimum order	1 Pcs
Document ID	EO-1CB47D7D7B
Generated	2026-08-06

Product Overview

SIZE 3 HOR FSD,MOUNT PLATE: M12 SCREWS

Eaton Bussmann series low voltage NH fuse base, Switch disconnecter, low voltage, 630 A, AC 690 V, NH3, AC22B, 3P, IEC, plate mounting, for connection of conductors with lug terminals M12 screws

Fuse accessory, Switch disconnecter, low voltage, 630 A, AC 690 V, NH3, AC22B, 3P, IEC, Horizontal, mounting plate type, M12 screws, NH3 fuse-links, IEC 60947-1, IEC 60947-3, IP20

STRUCTURED PRODUCT DATA

Technical Specifications

No structured technical attributes are currently available. Submit an RFQ for technical review.

Classification & Catalog Path

Catalog path EATON - MOELLER > Bussmann Series Low Voltage fuses and accessories

Additional Product Information

General specifications

Product Name Eaton Bussmann series low voltage NH fuse base Catalog Number EBH3O3TM2 EAN 5027590335553

Product Length/Depth 250 mm Product Height 324 mm Product Width 140 mm Product Weight 4441 g Compliances CE

Certifications IEC/EN 60947-1

IEC 60947-3 Electrical rating

Amperage Rating 630 A Voltage rating 690 Product specifications

Number of poles Three-pole Mounting method Mounting plate

ETIM for EBH3O3TM2 Low-voltage industrial controls and switchgear (EC001040)

Feature Name

Feature Value

Version as main switch (EF006981)

No
Version as safety switch (EF006985)
No
Max. rated operation voltage Ue AC (EF007355)
690 V
Rated permanent current Iu (EF001389)
630 A
Rated operation power at AC-23, 400 V (EF007027)
0.252 kW
Conditioned rated short-circuit current Iq (EF001444)
0.025 kA
Suitable for fuses (EF006692)
NH3
Number of poles (EF001391)
3
With error protection (EF007384)
No
Type of electrical connection of main circuit (EF006819)
Screw connection
Cable entry (EF000537)
Other
Equipped with connectors (EF011696)
No
Suitable for floor mounting (EF007243)
No
Suitable for front mounting (EF007246)
Yes
Suitable for busbar mounting (EF007259)
No
Type of control element (EF006976)
Cover grip
Position control element (EF009410)
Front
Motor drive optional (EF007386)
No
Motor drive integrated (EF006697)
No
Version as emergency stop installation (EF006959)
No
Degree of protection (IP), front side (EF003118)
IP30

REQUEST PRICE, AVAILABILITY & TECHNICAL REVIEW

Send EATON - MOELLER / EBH3O3TM2 with the required quantity to info@electricaonline.com or use electricaonline.com/request-quote.

GLOBAL OFFICES

Germany: Lise-Meitner-Straße 13, 89081 Ulm | USA: 16225 Park Ten Pl #500, Houston, TX 77084 | UAE: HDS Business Centre Tower, Cluster M, 33rd Floor, JLT, Dubai

Catalog-generated document. Product names, marks and specifications belong to their respective owners. Verify safety-critical, compatibility and certification requirements against the manufacturer documentation before purchase or installation.