

INDUSTRIAL COMPONENT DATA

M22-PVT 263467 Y7-263467 EATON ELECTRIC

Emergency-stop pushbutton, non-illuminated, turn-release

Brand: EATON - MOELLER | Manufacturer Part Number: M22-PVT



Manufacturer	EATON - MOELLER
MPN / Reference	M22-PVT
Catalog number	Y7-263467
Category	Front element for mushroom push-button
Minimum order	1 unit
Document ID	EO-D5D317F014
Generated	2026-08-04

Product Overview

Emergency-stop pushbutton, non-illuminated, turn-release

M22-PVT

Eaton Moeller® series M22 Emergency stop/emergency switching off pushbutton, RMQ-Titan, Mushroom-shaped, 38 mm, Non-illuminated, Turn-to-release function, Red, yellow, RAL 3000

Emergency stop/emergency switching off pushbutton, Product range: RMQ-Titan, Single unit, Design: Mushroom-shaped, Diameter: 38 mm, Illumination: Non-illuminated, Turn-to-release function, Description: Tamper-proof according to ISO 13850/EN 418, Color Mushroom head: Red, Color Base: yellow, RAL 3000, Degree of Protection: IP66, IP67, IP69K, Connection to SmartWire-DT: no, Front dimensions: 35, Instructions: Max. number of contacts: four M22-(C)K01, ...10 or two M22-(C)K02, ...20, ...11, Standards: IEC/EN 60947, VDE 0660

STRUCTURED PRODUCT DATA

Technical Specifications

TECHNICAL ATTRIBUTE	VALUE
Colour button (EF000190)	Red
Construction type lens (EF006253)	Round
Diameter cap (EF001423)	38 mm
Hole diameter (EF000079)	22.5 mm
Width opening (EF004565)	0 mm
Height opening (EF004778)	0 mm
Degree of protection (IP) (EF005474)	IP67/IP69K
Degree of protection (NEMA) (EF011959)	4X, 13
Type of button (EF001546)	High

CONTINUED

Technical Specifications

TECHNICAL ATTRIBUTE	VALUE
Suitable for lighting (EF001142)	No
With lighting (EF003829)	No
Supply voltage lamp (EF006522)	0 V
Switching function latching (EF007447)	Yes
Spring-return (EF001407)	No
With front ring (EF006014)	No
Material front ring (EF005972)	Other
Colour front ring (EF002429)	Other
Suitable for emergency stop (EF001433)	Yes
Unlocking method (EF001403)	Turn-release

Classification & Catalog Path

Catalog path	EATON - MOELLER > Auxiliary Control and Signalling Elements
--------------	---

Additional Product Information

General specifications

Product Name Eaton Moeller® series M22 Emergency stop/emergency switching off pushbutton Catalog Number 263467

Model Code M22-PVT EAN 4015082634674 Product Length/Depth 38 mm Product Height 70 mm Product Width 38 mm

Product Weight 0.045 kg Compliances CE Marked Certifications UL 508

IEC 60947-5

EN 60947-5

CSA Std. C22.2 No. 14-05

CSA Std. C22.2 No. 94-91

VDE

CSA

CSA File No.: 012528

CSA-C22.2 No. 94-91

UL

UL Category Control No.: NKCR

VDE 0660

CSA Class No.: 3211-03

CSA-C22.2 No. 14-05

IEC/EN 60947-5

CE

IEC/EN 60947

UL File No.: E29184

DNV

GL

LR Catalog Notes Max. number of contacts: four M22-(C)K01, ...10 or two M22-(C)K02, ...20, ...11

ETIM for 263467 Low-voltage industrial controls and switchgear (EC001038)

Feature Name

Feature Value

Colour button (EF000190)

Red

Construction type lens (EF006253)

Round

Diameter cap (EF001423)

38 mm

Hole diameter (EF000079)

22.5 mm

Width opening (EF004565)

0 mm

Height opening (EF004778)

0 mm

Degree of protection (IP) (EF005474)

IP67/IP69K

Degree of protection (NEMA) (EF011959)

4X, 13

Type of button (EF001546)

High

Suitable for ligh...

REQUEST PRICE, AVAILABILITY & TECHNICAL REVIEW

Send EATON - MOELLER / M22-PVT with the required quantity to info@electricaonline.com or use electricaonline.com/request-quote.

GLOBAL OFFICES

Germany: Lise-Meitner-Straße 13, 89081 Ulm | USA: 16225 Park Ten Pl #500, Houston, TX 77084 | UAE: HDS Business Centre Tower, Cluster M, 33rd Floor, JLT, Dubai

Catalog-generated document. Product names, marks and specifications belong to their respective owners. Verify safety-critical, compatibility and certification requirements against the manufacturer documentation before purchase or installation.