

INDUSTRIAL COMPONENT DATA

EPTV1800A-XVTL 143797 Y7-143797 EATON ELECTRIC

Vertical profile, includes 9.5 x 9.5 mm square hole BPM-F, xE

Brand: EATON - MOELLER | Manufacturer Part Number: EPTV1800A-XVTL



Manufacturer	EATON - MOELLER
MPN / Reference	EPTV1800A-XVTL
Catalog number	Y7-143797
Category	Mounting rail/-profile
Minimum order	1 Pcs
Document ID	EO-2E1DA1C700
Generated	2026-08-04

Product Overview

Vertical profile, includes 9.5 x 9.5 mm square hole BPM-F, xE

EPTV1800A-XVTL. Mounting rail vertical

The standard flush-mounting EP system is a system for surface mounting factory finished, type-tested switchgear assemblies

STRUCTURED PRODUCT DATA

Technical Specifications

No structured technical attributes are currently available. Submit an RFQ for technical review.

Classification & Catalog Path

Catalog path	EATON - MOELLER > Enclosures
--------------	------------------------------

Additional Product Information

General specifications

Product Name Eaton xEnergy Basic other accessory Catalog Number 143797 Model Code EPTV1800A-XVTL EAN 4015081403516 Product Length/Depth 25 mm Product Height 1865 mm Product Width 16 mm Product Weight 1.519 kg

Compliances RoHS conform Delivery program

Model Singular profile Color Other Technical data - mechanical

Surface protection Galvanic/electrolytic zinc plated Material Steel Material thickness 2 mm Material quality Other Load bearing capacity 0 kN Area moment of inertia Iy 0 cm⁴ Area of inertia Iz 0 cm⁴ Moment of resistance Wy 0 cm³ Moment of resistance Wz 0 cm³ Hole width 3.6 mm Perforation type 3 sides punched Profile shape U-profile Slit width 9.5 mm

Additional information

RAL-number 0

ETIM for 143797 Fixings and fasteners (EC000386)

Feature Name

Feature Value

Length (EF001438)

25 mm

Width (EF000008)

16 mm

Height (EF000040)

1865 mm

Slit width (EF005247)

9.5 mm

Material thickness (EF000386)

2 mm

Profile shape (EF005179)

U-profile

Model (EF000010)

Single channel

Type of perforation (EF004147)

3 sides perforated

Hole width (EF005742)

3.6 mm

With toothing (EF000571)

No

Snap-off (EF007562)

No

Load bearing capacity (EF002918)

0 kN

Area moment of inertia I_y (EF012513)0 cm⁴Area of inertia I_z (EF012514)0 cm⁴Moment of resistance W_y (EF012503)0 cm³Moment of resistance W_z (EF012504)0 cm³

Suitable for circuit integrity (EF007806)

No

Material (EF002169)

Steel

Material quality (EF001257)

Other

Surface protection (EF000139)

Galvanic/electrolytic zinc pla...

REQUEST PRICE, AVAILABILITY & TECHNICAL REVIEW

Send EATON - MOELLER / EPTV1800A-XVTL with the required quantity to info@electricaonline.com or use electricaonline.com/request-quote.

GLOBAL OFFICES

Germany: Lise-Meitner-Straße 13, 89081 Ulm | USA: 16225 Park Ten Pl #500, Houston, TX 77084 | UAE: HDS Business Centre Tower, Cluster M, 33rd Floor, JLT, Dubai

Catalog-generated document. Product names, marks and specifications belong to their respective owners. Verify safety-critical, compatibility and certification requirements against the manufacturer documentation before purchase or installation.