

INDUSTRIAL COMPONENT DATA

EXIT CUBE 33022 CG-S (LUMINAIRE) 40071353421 EATON

ELECTRIC EXIT CUBE 33022 CG-S (LUMINAIRE)

Brand: EATON - MOELLER | Manufacturer Part Number: EXIT CUBE 33022 CG-S (LUMINAIRE)



Manufacturer	EATON - MOELLER
MPN / Reference	EXIT CUBE 33022 CG-S (LUMINAIRE)
Catalog number	40071353421
Category	Emergency luminaire
Minimum order	1 Pcs
Document ID	EO-3838F30826
Generated	2026-08-04

Product Overview

EXIT CUBE 33022 CG-S (LUMINAIRE)

Exit Cube 33022 CG-S (Luminaire)

STRUCTURED PRODUCT DATA

Technical Specifications

No structured technical attributes are currently available. Submit an RFQ for technical review.

Classification & Catalog Path

Catalog path EATON - MOELLER > Central Battery System

Additional Product Information

ETIM for 40071353421 Luminaires (EC001957)

Feature Name

Feature Value

Mounting method (EF000003)

Ceiling surface mounting

Suitable for labelling type (EF001277)

Other

Type of indicator (EF001278)

Four-sided

With pictogram (EF011099)

Yes

Monitoring equipment (EF008091)

Safety module for monitoring (central feeded system)

With remote switch connection (EF007947)

No
Power supply system (EF000233)
Central (central battery)
Lamp type (EF002423)
LED non-replaceable
With light source (EF005905)
Yes
Lamp holder (EF000048)
None
Housing material (EF001596)
Stainless steel
Material cover (EF004284)
Plastic opal
Voltage type (EF000187)
DC
Nominal voltage (EF005127)
220 V
Type of control gear (EF000381)
LED driver constant current
Light distributor (EF012170)
Diffuser
Degree of protection (IP) (EF005474)
IP40
Impact strength (EF004293)
IK07
Protection class according to IEC 61140 (EF000004)
I
Luminaire with limited surface temperature, sign "D" according to EN 60598-2-24 (EF006420)
No
Rated ambient temperature according to IEC 62722-2-1 (EF012090)
-20 °C
Max. system power (EF009347)
5.9 W
Power factor (EF025740)
0.6
Recognition distance (EF008732)
20 m
Width (EF000008)
220 mm
Height/depth (EF001456)
150 mm
Length (EF001438)
220 mm
Type of wiring (EF011868)
Suitable for through wiring
Conductor cross section (EF000085)
2.5 mm²

Connection type (EF000124)

Plug-in connection

REQUEST PRICE, AVAILABILITY & TECHNICAL REVIEW

Send EATON - MOELLER / EXIT CUBE 33022 CG-S (LUMINAIRE) with the required quantity to info@electricaonline.com or use electricaonline.com/request-quote.

GLOBAL OFFICES

Germany: Lise-Meitner-Straße 13, 89081 Ulm | USA: 16225 Park Ten Pl #500, Houston, TX 77084 | UAE: HDS Business Centre Tower, Cluster M, 33rd Floor, JLT, Dubai

Catalog-generated document. Product names, marks and specifications belong to their respective owners. Verify safety-critical, compatibility and certification requirements against the manufacturer documentation before purchase or installation.