

INDUSTRIAL COMPONENT DATA

FlexiTech, Exit Dual 20m CG-S FT2ED4ICGS EATON

ELECTRIC FlexiTech, Exit Dual 20m CG-S

Brand: EATON - MOELLER | Manufacturer Part Number: FlexiTech, Exit Dual 20m CG-S



Manufacturer	EATON - MOELLER
MPN / Reference	FlexiTech, Exit Dual 20m CG-S
Catalog number	FT2ED4ICGS
Category	Emergency luminaire
Minimum order	1 Pcs
Document ID	EO-32967B58DF
Generated	2026-08-02

Product Overview

FlexiTech, Exit Dual 20m CG-S

EATON FlexiTech, Exit sign, Dual position, 20m, 4 Pictogram (DRLU) Down Right Left Up, CG-S

STRUCTURED PRODUCT DATA

Technical Specifications

No structured technical attributes are currently available. Submit an RFQ for technical review.

Classification & Catalog Path

Catalog path **EATON - MOELLER > Central Battery System**

Additional Product Information

ETIM for FT2ED4ICGS Luminaires (EC001957)

Feature Name

Feature Value

Suitable for labelling type (EF001277)

Insert sheet/plate

Type of indicator (EF001278)

Single/double-sided

With pictogram (EF011099)

Yes

Monitoring equipment (EF008091)

Safety module for monitoring (central feeded system)

With remote switch connection (EF007947)

No

Power supply system (EF000233)

Central (central battery)
Lamp type (EF002423)
LED non-replaceable
With light source (EF005905)
Yes
Suitable for number of light sources (EF006436)
1
Lamp holder (EF000048)
None
Number of lighting heads (EF004258)
1
Housing material (EF001596)
Plastic
Housing colour (EF000136)
White
Material cover (EF004284)
Plastic transparent
Voltage type (EF000187)
DC
Light distributor (EF012170)
Diffuser
Degree of protection (IP) (EF005474)
IP43
Impact strength (EF004293)
IK07
Protection class according to IEC 61140 (EF000004)
II
Luminaire with limited surface temperature, sign "D" according to EN 60598-2-24 (EF006420)
No
Max. system power (EF009347)
1.6 W
Colour temperature (EF009346)
6500 K
Power factor (EF025740)
0.41
Recognition distance (EF008732)
20 m
Width (EF000008)
120 mm
Height/depth (EF001456)
34 mm
Length (EF001438)
228 mm
Built-in width (EF000846)
130 mm
Built-in height/depth (EF023518)
50 mm

Built-in length (EF004265)

245 mm

Number of poles (EF001391)

3

Conductor cross section (EF000085)

2.5 mm²

Connection type (EF000124)

Plug-in connection

REQUEST PRICE, AVAILABILITY & TECHNICAL REVIEW

Send EATON - MOELLER / FlexiTech, Exit Dual 20m CG-S with the required quantity to info@electricaonline.com or use electricaonline.com/request-quote.

GLOBAL OFFICES

Germany: Lise-Meitner-Straße 13, 89081 Ulm | USA: 16225 Park Ten Pl #500, Houston, TX 77084 | UAE: HDS Business Centre Tower, Cluster M, 33rd Floor, JLT, Dubai

Catalog-generated document. Product names, marks and specifications belong to their respective owners. Verify safety-critical, compatibility and certification requirements against the manufacturer documentation before purchase or installation.