

INDUSTRIAL COMPONENT DATA

SW 088594 Y7-88594 EATON ELECTRIC Float switch

Brand: EATON - MOELLER | Manufacturer Part Number: SW



Manufacturer	EATON - MOELLER
MPN / Reference	SW
Catalog number	Y7-88594
Category	Float switch
Minimum order	1 Pcs
Document ID	EO-B7104AA49C
Generated	2026-07-31

Product Overview

Float switch

Three-phase level detector

Eaton Moeller® series SW Float switch

IEC EN 60947-5-1, IP55_x, float switch, lever usable for reversing contact direction

STRUCTURED PRODUCT DATA

Technical Specifications

No structured technical attributes are currently available. Submit an RFQ for technical review.

Classification & Catalog Path

Catalog path	EATON - MOELLER > Position Switches
--------------	-------------------------------------

Additional Product Information

General specifications

Product Name Eaton Moeller® series SW Float switch Catalog Number 088594 Model Code SW EAN 4015080885948

Product Length/Depth 120 mm Product Height 60 mm Product Width 140 mm Product Weight 0.6 kg Certifications IEC/EN 60947-4-1 Features & Functions

Features Adjustable differential gap General

Connection External thread metric Degree of protection IP65

Other Mounting method Vertical and 90° in all directions

Horizontal mounting

Suspended above the pit

Vertical mounting Suitable for Condensate

Cooling water

Domestic wastewater

Potable water

Rainwater

ETIM for 088594 Stats, switches and controllers (EC011178)

Feature Name

Feature Value

Suitable for potable water (EF024283)

Yes

Suitable for rainwater (EF024284)

Yes

Suitable for cooling water (EF024285)

Yes

Suitable for faeces (EF024286)

No

Suitable for domestic wastewater (EF024287)

Yes

Suitable for condensate (EF024288)

Yes

Suitable for glycol (EF002310)

No

Readable (EF024476)

No

With display (EF000458)

No

Adjustable differential gap (EF024280)

Yes

Vertical mounting (EF024092)

Yes

Horizontal mounting (EF006051)

Yes

Sensor/feeler type (EF006254)

Sinking ball

Mounting method (EF000003)

Suspended above the pit

Material float (EF021430)

Plastic

Float diameter (EF021432)

198.5 mm

Connection (EF000443)

Outer thread metric

Thread size (EF022694)

Other

Max. contact voltage (EF020286)

400 V

Max. contact load (EF022541)

15 A

Max. medium temperature (continuous) (EF020023)

100 °C

Degree of protection (IP) (EF005474...

REQUEST PRICE, AVAILABILITY & TECHNICAL REVIEW

Send EATON - MOELLER / SW with the required quantity to info@electricaonline.com or use electricaonline.com/request-quote.

GLOBAL OFFICES

Germany: Lise-Meitner-Straße 13, 89081 Ulm | USA: 16225 Park Ten Pl #500, Houston, TX 77084 | UAE: HDS Business Centre Tower, Cluster M, 33rd Floor, JLT, Dubai

Catalog-generated document. Product names, marks and specifications belong to their respective owners. Verify safety-critical, compatibility and certification requirements against the manufacturer documentation before purchase or installation.