

INDUSTRIAL COMPONENT DATA

FT Escape 150lm CGL+, 1-3H, IP FT2SE150CGL13IP EATON ELECTRIC FT Escape 150lm CGL+, 1-3H, IP

Brand: EATON - MOELLER | Manufacturer Part Number: FT Escape 150lm CGL+, 1-3H, IP



Manufacturer	EATON - MOELLER
MPN / Reference	FT Escape 150lm CGL+, 1-3H, IP
Catalog number	FT2SE150CGL13IP
Category	Emergency luminaire
Minimum order	1 Pcs
Document ID	EO-FAC1A0714B
Generated	2026-08-05

Product Overview

FT Escape 150lm CGL+, 1-3H, IP
EATON FlexiTech, Safety Escape Route, 150lm, CGLine+, 1 to 3H, IP65

STRUCTURED PRODUCT DATA

Technical Specifications

No structured technical attributes are currently available. Submit an RFQ for technical review.

Classification & Catalog Path

Catalog path	EATON - MOELLER > Central Battery System
--------------	--

Additional Product Information

ETIM for FT2SE150CGL13IP Luminaires (EC001957)

Feature Name

Feature Value

Mounting method (EF000003)

Ceiling surface mounting

With pictogram (EF011099)

No

Monitoring equipment (EF008091)

Safety module for monitoring (central feeded system)

With remote switch connection (EF007947)

Yes

Power supply system (EF000233)

Peripheral (individual battery)

Battery technology (EF004351)

Lithium-ions

Lamp type (EF002423)

LED non-replaceable

With light source (EF005905)

Yes

Suitable for number of light sources (EF006436)

1

Lamp holder (EF000048)

None

Number of lighting heads (EF004258)

1

Housing material (EF001596)

Plastic

Housing colour (EF000136)

White

Material cover (EF004284)

Plastic transparent

Voltage type (EF000187)

AC

Nominal voltage (EF005127)

230 V

Light distributor (EF012170)

Focal lens

Degree of protection (IP) (EF005474)

IP65

Impact strength (EF004293)

IK07

Protection class according to IEC 61140 (EF000004)

II

Luminaire with limited surface temperature, sign "D" according to EN 60598-2-24 (EF006420)

No

Max. system power (EF009347)

2 W

Rated luminous flux according to IEC 62722-2-1 (EF009349)

150 lm

Luminous flux in standby mode (EF011954)

100 lm

Colour temperature (EF009346)

6500 K

Power factor (EF025740)

0.4

Nominal operation time (EF012518)

1 h

Width (EF000008)

120 mm

Height/depth (EF001456)

31 mm

Length (EF001438)

228 mm

Built-in width (EF000846)

130 mm

Built-in height/depth (EF023518)

50 mm

Built-in length (EF004265)

245 mm

Number of poles (EF001391)

3

Conductor cross sec...

REQUEST PRICE, AVAILABILITY & TECHNICAL REVIEW

Send EATON - MOELLER / FT Escape 150lm CGL+, 1-3H, IP with the required quantity to info@electricaonline.com or use electricaonline.com/request-quote.

GLOBAL OFFICES

Germany: Lise-Meitner-Straße 13, 89081 Ulm | USA: 16225 Park Ten Pl #500, Houston, TX 77084 | UAE: HDS Business Centre Tower, Cluster M, 33rd Floor, JLT, Dubai

Catalog-generated document. Product names, marks and specifications belong to their respective owners. Verify safety-critical, compatibility and certification requirements against the manufacturer documentation before purchase or installation.