

INDUSTRIAL COMPONENT DATA

XN-PLC-CANOPEN 140157 EATON ELECTRIC Gateway for XI/ON I/O system, CANpoen, with integrated PLC

Brand: EATON - MOELLER | Manufacturer Part Number: XN-PLC-CANOPEN



Manufacturer	EATON - MOELLER
MPN / Reference	XN-PLC-CANOPEN
Catalog number	140157
Category	PLC CPU-module
Minimum order	1 Pcs
Document ID	EO-FC18CF4DBD
Generated	2026-08-04

Product Overview

Gateway for XI/ON I/O system, CANpoen, with integrated PLC

The XI/ON standard I/O system offers the right I/O solution for every application due to its great modularity and large variety of functions. Pluggable modules, hot-swapping of modules, wiring on the basic module screw or tension spring, modules' mechanical coding. The standard gateways support the CANopen bus systems, PROFIBUS-DP deviceNet and Ethernet.

STRUCTURED PRODUCT DATA

Technical Specifications

No structured technical attributes are currently available. Submit an RFQ for technical review.

Classification & Catalog Path

Catalog path	EATON - MOELLER > Remote I / O Modules XION
--------------	---

Additional Product Information

Indicator, low voltage, 0.03 A, AC 600 V, 9 x 54 x 83 mm, UL, CSA Fuse holder accessory, Indicator, low voltage, 0.03 A, AC 600 V, 9 x 54 x 83 mm, UL, CSA [Delivery program

Product range Fuse holder accessory Basic function Indicator Field of application low voltage Rated current [I] 0.03 A Rated voltage AC 600 V Size 9 x 54 x 83 mm Standard/Approval UL

CSA , Technical data ETIM 7.0

Circuit breakers and fuses (EG000020) / Accessories for electrical fuses/fuse holders (EC002936) Type of accessory Other Suitable for Other Construction size fuse insert Other]

ETIM for 140157 PLC's (EC000236)

Feature Name

Feature Value

Supply voltage AC 50 Hz (EF007532)

0 V

Supply voltage AC 60 Hz (EF007533)

0 V

Supply voltage DC (EF007534)

18 V

Voltage type (supply voltage) (EF002991)

DC

Number of relay outputs (EF007348)

0

Max. number of time switches (EF007349)

1000

Model (EF000010)

Modular

Processing time (1K, binary operation) (EF003004)

0.5 ms

Number of HW-interfaces industrial Ethernet (EF003020)

0

Number of interfaces PROFINET (EF006932)

0

Number of HW-interfaces RS-232 (EF003021)

0

Number of HW-interfaces RS-422 (EF003022)

0

Number of HW-interfaces RS-485 (EF003023)

0

Number of HW-interfaces USB (EF003025)

0

Number of HW-interfaces parallel (EF003026)

0

Number of HW-interfaces wireless (EF006933)

0

Number of HW-interfaces other (EF003027)

1

Number of analogue outputs (EF001995)

0

Number of analogue inputs (EF001994)

0

Number of digital inputs (EF001992)

0

Number of digital outputs (EF...

REQUEST PRICE, AVAILABILITY & TECHNICAL REVIEW

Send EATON - MOELLER / XN-PLC-CANOPEN with the required quantity to info@electricaonline.com or use electricaonline.com/request-quote.

GLOBAL OFFICES

Germany: Lise-Meitner-Straße 13, 89081 Ulm | USA: 16225 Park Ten Pl #500, Houston, TX 77084 | UAE: HDS Business Centre Tower, Cluster M, 33rd Floor, JLT, Dubai

Catalog-generated document. Product names, marks and specifications belong to their respective owners. Verify safety-critical, compatibility and certification requirements against the manufacturer documentation before purchase or installation.