

INDUSTRIAL COMPONENT DATA

M22-DRLH-B 216802 Y7-216802 EATON ELECTRIC Illuminated pushbutton actuator, raised, blue, maintained

Brand: EATON - MOELLER | Manufacturer Part Number: M22-DRLH-B



Manufacturer	EATON - MOELLER
MPN / Reference	M22-DRLH-B
Catalog number	Y7-216802
Category	Front element for push button
Minimum order	5 Pcs
Document ID	EO-3E4283F730
Generated	2026-08-01

Product Overview

Illuminated pushbutton actuator, raised, blue, maintained

M22-DRLH-B

Eaton Moeller® series M22 Illuminated pushbutton actuator, RMQ-Titan, Extended, maintained, Blue, Blank, Bezel: titanium
Illuminated pushbutton actuator, Product range: RMQ-Titan, Single unit, Design: Extended, maintained, button plate: Blue,
Button plate Blank, Degree of Protection: IP66, IP67, IP69K, Bezel: titanium, Connection to SmartWire-DT: yes, with
SWD-RMQ connections, Front dimensions: 29,7, Instructions: Stay-put/spring-return function can be changed on device,
Standards: IEC/EN 60947, VDE 0660

STRUCTURED PRODUCT DATA

Technical Specifications

No structured technical attributes are currently available. Submit an RFQ for technical review.

Classification & Catalog Path

Catalog path

EATON - MOELLER > Auxiliary Control and Signalling Elements

Additional Product Information

General specifications

Product Name Eaton Moeller® series M22 Illuminated pushbutton actuator Catalog Number 216802 Model Code
M22-DRLH-B EAN 4015082168025 Product Length/Depth 30 mm Product Height 35 mm Product Width 30 mm Product
Weight 0.013 kg Compliances CE Marked Certifications CSA Std. C22.2 No. 94-91
UL 508
IEC 60947-5
CSA Std. C22.2 No. 14-05
EN 60947-5
VDE

CE
IEC/EN 60947-5
CSA-C22.2 No. 94-91
IEC/EN 60947
UL Category Control No.: NKCR
VDE 0660
CSA
CSA File No.: 012528
CSA-C22.2 No. 14-05
UL File No.: E29184
UL
CSA Class No.: 3211-03
DNV
GL
LR
ETIM for 216802 Low-voltage industrial controls and switchgear (EC000221)
Feature Name
Feature Value
Colour button (EF000190)
Blue
Number of command positions (EF001372)
1
Construction type lens (EF006253)
Round
Hole diameter (EF000079)
22.5 mm
Width opening (EF004565)
0 mm
Height opening (EF004778)
0 mm
Type of button (EF001546)
High
Suitable for lighting (EF001142)
Yes
With protective cover (EF005500)
No
Labelled (EF001537)
No
Switching function latching (EF007447)
Yes
Spring-return (EF001407)
No
With front ring (EF006014)
Yes
Material front ring (EF005972)
Plastic
Colour front ring (EF002429)

Titanium

Degree of protection (IP), front side (EF003118)

IP67/IP69K

Degree of protection (NEMA), front side (EF011961)

4X

REQUEST PRICE, AVAILABILITY & TECHNICAL REVIEW

Send EATON - MOELLER / M22-DRLH-B with the required quantity to info@electricaonline.com or use electricaonline.com/request-quote.

GLOBAL OFFICES

Germany: Lise-Meitner-Straße 13, 89081 Ulm | USA: 16225 Park Ten Pl #500, Houston, TX 77084 | UAE: HDS Business Centre Tower, Cluster M, 33rd Floor, JLT, Dubai

Catalog-generated document. Product names, marks and specifications belong to their respective owners. Verify safety-critical, compatibility and certification requirements against the manufacturer documentation before purchase or installation.