

INDUSTRIAL COMPONENT DATA

M22-DLH-G 216969 Y7-216969 EATON ELECTRIC Illuminated pushbutton actuator, raised, green, momentary

Brand: EATON - MOELLER | Manufacturer Part Number: M22-DLH-G



Manufacturer	EATON - MOELLER
MPN / Reference	M22-DLH-G
Catalog number	Y7-216969
Category	Front element for push button
Minimum order	5 Pcs
Document ID	EO-302F0F4CB9
Generated	2026-08-04

Product Overview

Illuminated pushbutton actuator, raised, green, momentary

M22-DLH-G

Eaton Moeller® series M22 Illuminated pushbutton actuator, RMQ-Titan, Extended, momentary, green, Blank, Bezel: titanium

Illuminated pushbutton actuator, Product range: RMQ-Titan, Single unit, Design: Extended, momentary, button plate: green, Button plate Blank, Degree of Protection: IP66, IP67, IP69K, Bezel: titanium, Connection to SmartWire-DT: yes, with SWD-RMQ connections, Front dimensions: 29,7, Standards: IEC/EN 60947, VDE 0660

STRUCTURED PRODUCT DATA

Technical Specifications

No structured technical attributes are currently available. Submit an RFQ for technical review.

Classification & Catalog Path

Catalog path

EATON - MOELLER > Auxiliary Control and Signalling Elements

Additional Product Information

General specifications

Product Name Eaton Moeller® series M22 Illuminated pushbutton actuator Catalog Number 216969 Model Code M22-DLH-G EAN 4015082169695 Product Length/Depth 30 mm Product Height 35 mm Product Width 30 mm Product Weight 0.012 kg Compliances CE Marked Certifications EN 60947-5

CSA Std. C22.2 No. 94-91

CSA Std. C22.2 No. 14-05

IEC 60947-5

UL 508

VDE

CE
CSA Class No.: 3211-03
CSA
CSA File No.: 012528
UL
CSA-C22.2 No. 14-05
CSA-C22.2 No. 94-91
IEC/EN 60947
IEC/EN 60947-5
UL Category Control No.: NKCR
UL File No.: E29184
VDE 0660
DNV
GL
LR
ETIM for 216969 Low-voltage industrial controls and switchgear (EC000221)
Feature Name
Feature Value
Colour button (EF000190)
Green
Number of command positions (EF001372)
1
Construction type lens (EF006253)
Round
Hole diameter (EF000079)
22.5 mm
Width opening (EF004565)
0 mm
Height opening (EF004778)
0 mm
Type of button (EF001546)
High
Suitable for lighting (EF001142)
Yes
With protective cover (EF005500)
No
Labelled (EF001537)
No
Switching function latching (EF007447)
No
Spring-return (EF001407)
Yes
With front ring (EF006014)
Yes
Material front ring (EF005972)
Plastic
Colour front ring (EF002429)

Chrome

Degree of protection (IP), front side (EF003118)

IP67/IP69K

Degree of protection (NEMA), front side (EF011961)

4X

REQUEST PRICE, AVAILABILITY & TECHNICAL REVIEW

Send EATON - MOELLER / M22-DLH-G with the required quantity to info@electricaonline.com or use electricaonline.com/request-quote.

GLOBAL OFFICES

Germany: Lise-Meitner-Straße 13, 89081 Ulm | USA: 16225 Park Ten Pl #500, Houston, TX 77084 | UAE: HDS Business Centre Tower, Cluster M, 33rd Floor, JLT, Dubai

Catalog-generated document. Product names, marks and specifications belong to their respective owners. Verify safety-critical, compatibility and certification requirements against the manufacturer documentation before purchase or installation.