

INDUSTRIAL COMPONENT DATA

M22S-DRLH-R-X0 216808 Y7-216808 EATON ELECTRIC

Illuminated pushbutton actuator, raised, red 0, maintained

Brand: EATON - MOELLER | Manufacturer Part Number: M22S-DRLH-R-X0



Manufacturer	EATON - MOELLER
MPN / Reference	M22S-DRLH-R-X0
Catalog number	Y7-216808
Category	Front element for push button
Minimum order	1 Pcs
Document ID	EO-60EA68BF0B
Generated	2026-08-03

Product Overview

Illuminated pushbutton actuator, raised, red 0, maintained

M22S-DRLH-R-X0

Eaton Moeller® series M22 Illuminated pushbutton actuator, RMQ-Titan, Extended, maintained, red, inscribed, Bezel: black Illuminated pushbutton actuator, Product range: RMQ-Titan, Single unit, Design: Extended, maintained, button plate: red, Button plate inscribed, Degree of Protection: IP66, IP67, IP69K, Bezel: black, Connection to SmartWire-DT: yes, with SWD-RMQ connections, Front dimensions: 29,7, Instructions: Stay-put/spring-return function can be changed on device, Standards: IEC/EN 60947, VDE 0660

STRUCTURED PRODUCT DATA

Technical Specifications

No structured technical attributes are currently available. Submit an RFQ for technical review.

Classification & Catalog Path

Catalog path	EATON - MOELLER > Auxiliary Control and Signalling Elements
--------------	---

Additional Product Information

General specifications

Product Name Eaton Moeller® series M22 Illuminated pushbutton actuator Catalog Number 216808 Model Code

M22S-DRLH-R-X0 EAN 4015082168087 Product Length/Depth 30 mm Product Height 35 mm Product Width 30 mm

Product Weight 0.013 kg Certifications CSA-C22.2 No. 94-91

CSA

UL 508

VDE 0660

CSA-C22.2 No. 14-05

UL

UL File No.: E29184
UL Category Control No.: NKCR
CE
CSA Class No.: 3211-03
CSA File No.: 012528
IEC/EN 60947
IEC/EN 60947-5
DNV
GL
LR
ETIM for 216808 Low-voltage industrial controls and switchgear (EC000221)
Feature Name
Feature Value
Colour button (EF000190)
Red
Number of command positions (EF001372)
1
Construction type lens (EF006253)
Round
Hole diameter (EF000079)
22.5 mm
Width opening (EF004565)
0 mm
Height opening (EF004778)
0 mm
Type of button (EF001546)
High
Suitable for lighting (EF001142)
Yes
With protective cover (EF005500)
No
Labelled (EF001537)
Yes
Switching function latching (EF007447)
Yes
Spring-return (EF001407)
No
With front ring (EF006014)
Yes
Material front ring (EF005972)
Plastic
Colour front ring (EF002429)
Black
Degree of protection (IP), front side (EF003118)
IP67/IP69K
Degree of protection (NEMA), front side (EF011961)
4X

REQUEST PRICE, AVAILABILITY & TECHNICAL REVIEW

Send EATON - MOELLER / M22S-DRLH-R-X0 with the required quantity to info@electricaonline.com or use electricaonline.com/request-quote.

GLOBAL OFFICES

Germany: Lise-Meitner-Straße 13, 89081 Ulm | USA: 16225 Park Ten Pl #500, Houston, TX 77084 | UAE: HDS Business Centre Tower, Cluster M, 33rd Floor, JLT, Dubai

Catalog-generated document. Product names, marks and specifications belong to their respective owners. Verify safety-critical, compatibility and certification requirements against the manufacturer documentation before purchase or installation.