

## INDUSTRIAL COMPONENT DATA

# M22S-DRLH-W-X1 216811 Y7-216811 EATON ELECTRIC

## Illuminated pushbutton actuator, raised, white I, maintained

Brand: EATON - MOELLER | Manufacturer Part Number: M22S-DRLH-W-X1



|                 |                               |
|-----------------|-------------------------------|
| Manufacturer    | EATON - MOELLER               |
| MPN / Reference | M22S-DRLH-W-X1                |
| Catalog number  | Y7-216811                     |
| Category        | Front element for push button |
| Minimum order   | 1 Pcs                         |
| Document ID     | EO-2CD800DDCF                 |
| Generated       | 2026-08-03                    |

### Product Overview

Illuminated pushbutton actuator, raised, white I, maintained

M22S-DRLH-W-X1

Eaton Moeller® series M22 Illuminated pushbutton actuator, RMQ-Titan, Extended, maintained, White, inscribed 1, Bezel: black

Illuminated pushbutton actuator, Product range: RMQ-Titan, Single unit, Design: Extended, maintained, button plate: White, Button plate inscribed, Degree of Protection: IP66, IP67, IP69K, Bezel: black, Connection to SmartWire-DT: yes, with SWD-RMQ connections, Front dimensions: 29,7, Instructions: Stay-put/spring-return function can be changed on device, Standards: IEC/EN 60947, VDE 0660

## STRUCTURED PRODUCT DATA

### Technical Specifications

No structured technical attributes are currently available. Submit an RFQ for technical review.

### Classification & Catalog Path

|              |                                                             |
|--------------|-------------------------------------------------------------|
| Catalog path | EATON - MOELLER > Auxiliary Control and Signalling Elements |
|--------------|-------------------------------------------------------------|

### Additional Product Information

General specifications

Product Name Eaton Moeller® series M22 Illuminated pushbutton actuator Catalog Number 216811 Model Code M22S-DRLH-W-X1 EAN 4015082168117 Product Length/Depth 30 mm Product Height 35 mm Product Width 30 mm Product Weight 0.013 kg Certifications CSA-C22.2 No. 14-05

IEC/EN 60947

CE

UL 508

CSA Class No.: 3211-03

UL Category Control No.: NKCR  
CSA File No.: 012528  
UL File No.: E29184  
IEC/EN 60947-5  
UL  
CSA  
CSA-C22.2 No. 94-91  
VDE 0660  
DNV  
GL  
LR  
ETIM for 216811 Low-voltage industrial controls and switchgear (EC000221)  
Feature Name  
Feature Value  
Colour button (EF000190)  
White  
Number of command positions (EF001372)  
1  
Construction type lens (EF006253)  
Round  
Hole diameter (EF000079)  
22.5 mm  
Width opening (EF004565)  
0 mm  
Height opening (EF004778)  
0 mm  
Type of button (EF001546)  
High  
Suitable for lighting (EF001142)  
Yes  
With protective cover (EF005500)  
No  
Labelled (EF001537)  
Yes  
Switching function latching (EF007447)  
Yes  
Spring-return (EF001407)  
No  
With front ring (EF006014)  
Yes  
Material front ring (EF005972)  
Plastic  
Colour front ring (EF002429)  
Black  
Degree of protection (IP), front side (EF003118)  
IP67/IP69K  
Degree of protection (NEMA), front side (EF011961)

4X

**REQUEST PRICE, AVAILABILITY & TECHNICAL REVIEW**

Send EATON - MOELLER / M22S-DRLH-W-X1 with the required quantity to [info@electricaonline.com](mailto:info@electricaonline.com) or use [electricaonline.com/request-quote](https://electricaonline.com/request-quote).

**GLOBAL OFFICES**

Germany: Lise-Meitner-Straße 13, 89081 Ulm | USA: 16225 Park Ten Pl #500, Houston, TX 77084 | UAE: HDS Business Centre Tower, Cluster M, 33rd Floor, JLT, Dubai

Catalog-generated document. Product names, marks and specifications belong to their respective owners. Verify safety-critical, compatibility and certification requirements against the manufacturer documentation before purchase or installation.