

## INDUSTRIAL COMPONENT DATA

# M22-WLK-Y 216818 Y7-216818 EATON ELECTRIC Illuminated selector switch actuator, 2 positions, yellow, momenta..

Brand: EATON - MOELLER | Manufacturer Part Number: M22-WLK-Y



|                 |                                   |
|-----------------|-----------------------------------|
| Manufacturer    | EATON - MOELLER                   |
| MPN / Reference | M22-WLK-Y                         |
| Catalog number  | Y7-216818                         |
| Category        | Front element for selector switch |
| Minimum order   | 1 Pcs                             |
| Document ID     | EO-9C7FCAEB0F                     |
| Generated       | 2026-08-03                        |

## Product Overview

Illuminated selector switch actuator, 2 positions, yellow, momentary

M22-WLK-Y

Eaton Moeller® series M22 Illuminated selector switch actuator, RMQ-Titan, With thumb-grip, momentary, 2 positions, yellow, Bezel: titanium

Illuminated selector switch actuator, Product range: RMQ-Titan, Single unit, Design: With thumb-grip, momentary, 2 positions, Color Thumb-grip: yellow, Degree of Protection: IP66, Bezel: titanium, Connection to SmartWire-DT: yes, with SWD-RMQ connections, Front dimensions: 29,7, Instructions: Stay-put/spring-return function, can be changed with coding parts M22-XC-Y, Standards: IEC/EN 60947, VDE 0660, Degree of Protection: IP66

## STRUCTURED PRODUCT DATA

## Technical Specifications

No structured technical attributes are currently available. Submit an RFQ for technical review.

## Classification & Catalog Path

|              |                                                             |
|--------------|-------------------------------------------------------------|
| Catalog path | EATON - MOELLER > Auxiliary Control and Signalling Elements |
|--------------|-------------------------------------------------------------|

## Additional Product Information

General specifications

Product Name Eaton Moeller® series M22 Illuminated selector switch actuator Catalog Number 216818 Model Code M22-WLK-Y EAN 4015082168186 Product Length/Depth 46 mm Product Height 30 mm Product Width 30 mm Product Weight 0.013 kg Compliances CE Marked Certifications EN 60947-5

IEC 60947-5

UL 508

CSA Std. C22.2 No. 14-05

CSA Std. C22.2 No. 94-91

VDE  
VDE 0660  
CSA-C22.2 No. 14-05  
CSA  
CSA File No.: 012528  
CSA-C22.2 No. 94-91  
CE  
IEC/EN 60947-5  
UL  
IEC/EN 60947  
UL File No.: E29184  
CSA Class No.: 3211-03  
UL Category Control No.: NKCR  
ETIM for 216818 Low-voltage industrial controls and switchgear (EC000222)  
Feature Name  
Feature Value  
Number of switch positions (EF000231)  
2  
Type of control element (EF006976)  
Toggle  
Suitable for lighting (EF001142)  
Yes  
Colour control element (EF007167)  
Black  
Colour indicator light cap (EF007165)  
Yellow  
Construction type lens (EF006253)  
Round  
Hole diameter (EF000079)  
22.5 mm  
Width opening (EF004565)  
0 mm  
Height opening (EF004778)  
0 mm  
Switching function latching (EF007447)  
No  
Spring-return (EF001407)  
Yes  
With front ring (EF006014)  
Yes  
Material front ring (EF005972)  
Plastic  
Colour front ring (EF002429)  
Titanium  
Degree of protection (IP), front side (EF003118)  
IP66  
Degree of protection (NEMA) (EF011959)

4X, 13

**REQUEST PRICE, AVAILABILITY & TECHNICAL REVIEW**

Send EATON - MOELLER / M22-WLK-Y with the required quantity to [info@electricaonline.com](mailto:info@electricaonline.com) or use [electricaonline.com/request-quote](https://electricaonline.com/request-quote).

**GLOBAL OFFICES**

Germany: Lise-Meitner-Straße 13, 89081 Ulm | USA: 16225 Park Ten Pl #500, Houston, TX 77084 | UAE: HDS Business Centre Tower, Cluster M, 33rd Floor, JLT, Dubai

Catalog-generated document. Product names, marks and specifications belong to their respective owners. Verify safety-critical, compatibility and certification requirements against the manufacturer documentation before purchase or installation.