

INDUSTRIAL COMPONENT DATA

M22-WRJ2H 289199 Y7-289199 EATON ELECTRIC Joystick 2 positions, horizontal, maintained

Brand: EATON - MOELLER | Manufacturer Part Number: M22-WRJ2H



Manufacturer	EATON - MOELLER
MPN / Reference	M22-WRJ2H
Catalog number	Y7-289199
Category	Control switch, Joystick
Minimum order	1 Pcs
Document ID	EO-D752C679D5
Generated	2026-08-05

Product Overview

Joystick 2 positions, horizontal, maintained

M22-WRJ2H

Eaton Moeller® series M22 Joystick, with one operating point per operating direction, With plastic shaft, 2 positions, Bezel: titanium, maintained, Horizontal

Joystick, Product range: RMQ-Titan, Single unit, Description: with one operating point per operating direction, With plastic shaft, 2 positions, Degree of Protection: IP66, Bezel: titanium, Connection to SmartWire-DT: yes, with SWD-RMQ connections, Front dimensions: - N/A -, Function: maintained, Horizontal, Standards: IEC/EN 60947, VDE 0660

STRUCTURED PRODUCT DATA

Technical Specifications

No structured technical attributes are currently available. Submit an RFQ for technical review.

Classification & Catalog Path

Catalog path **EATON - MOELLER > Auxiliary Control and Signalling Elements**

Additional Product Information

General specifications

Product Name Eaton Moeller® series M22 Joystick Catalog Number 289199 Model Code M22-WRJ2H EAN 4015082891992 Product Length/Depth 100 mm Product Height 30 mm Product Width 30 mm Product Weight 0.038 kg

Compliances CE Marked Certifications EN 60947-5

UL 508

CSA Std. C22.2 No. 14-05

IEC 60947-5

CSA Std. C22.2 No. 94-91

VDE

CSA File No.: 012528

UL File No.: E29184

CSA-C22.2 No. 14-05

IEC/EN 60947-5

VDE 0660

CSA-C22.2 No. 94-91

CSA Class No.: 3211-03

IEC/EN 60947

UL

UL Category Control No.: NKCR

CE

CSA

ETIM for 289199 Low-voltage industrial controls and switchgear (EC000632)

Feature Name

Feature Value

Rated operation current I_e at AC-21, 400 V (EF002417)

0 A

Centre mounting, hole diameter (EF002424)

22.5 mm

Joy stick length (EF006524)

75 mm

Number of actuation directions (EF002425)

2

Number of switch positions (EF000231)

0

Number of normally open contacts per actuation direction (EF002427)

0

Number of normally closed contacts per actuation direction (EF008263)

0

Number of make-and-break contacts per direction (EF005599)

0

With retraction in 0-position (EF002428)

No

Locking in 0-position (EF006283)

No

Coder (EF005666)

No

Analogue output signal configurable (EF003236)

No

With front ring (EF006014)

Yes

Material front ring (EF005972)

Plastic

Colour front ring (EF002429)

Titanium

Degree of protection (IP) (EF005474)

IP66

Degree of protection (NEMA) (EF011959)
4X, 13

REQUEST PRICE, AVAILABILITY & TECHNICAL REVIEW

Send EATON - MOELLER / M22-WRJ2H with the required quantity to info@electricaonline.com or use electricaonline.com/request-quote.

GLOBAL OFFICES

Germany: Lise-Meitner-Straße 13, 89081 Ulm | USA: 16225 Park Ten Pl #500, Houston, TX 77084 | UAE: HDS Business Centre Tower, Cluster M, 33rd Floor, JLT, Dubai

Catalog-generated document. Product names, marks and specifications belong to their respective owners. Verify safety-critical, compatibility and certification requirements against the manufacturer documentation before purchase or installation.