

## INDUSTRIAL COMPONENT DATA

# M22-WJ2H 289195 Y7-289195 EATON ELECTRIC Joystick 2 positions, horizontal momentary

Brand: EATON - MOELLER | Manufacturer Part Number: M22-WJ2H



|                 |                          |
|-----------------|--------------------------|
| Manufacturer    | EATON - MOELLER          |
| MPN / Reference | M22-WJ2H                 |
| Catalog number  | Y7-289195                |
| Category        | Control switch, Joystick |
| Minimum order   | 1 Pcs                    |
| Document ID     | EO-F5A9E5D19C            |
| Generated       | 2026-08-03               |

## Product Overview

Joystick 2 positions, horizontal momentary

M22-WJ2H

Eaton Moeller® series M22 Joystick, with one operating point per operating direction, With plastic shaft, 2 positions, Bezel: titanium, momentary, Horizontal

Joystick, Product range: RMQ-Titan, Single unit, Description: with one operating point per operating direction, With plastic shaft, 2 positions, Degree of Protection: IP66, Bezel: titanium, Connection to SmartWire-DT: yes, with SWD-RMQ connections, Front dimensions: - N/A -, Function: momentary, Horizontal, Standards: IEC/EN 60947, VDE 0660

## STRUCTURED PRODUCT DATA

## Technical Specifications

No structured technical attributes are currently available. Submit an RFQ for technical review.

## Classification & Catalog Path

Catalog path

EATON - MOELLER &gt; Auxiliary Control and Signalling Elements

## Additional Product Information

General specifications

Product Name Eaton Moeller® series M22 Joystick Catalog Number 289195 Model Code M22-WJ2H EAN 4015082891954

Product Length/Depth 100 mm Product Height 30 mm Product Width 30 mm Product Weight 0.028 kg Compliances CE

Marked Certifications EN 60947-5

CSA Std. C22.2 No. 14-05

UL 508

IEC 60947-5

CSA Std. C22.2 No. 94-91

VDE

CE

IEC/EN 60947

VDE 0660

UL

CSA File No.: 012528

UL Category Control No.: NKCR

CSA-C22.2 No. 14-05

IEC/EN 60947-5

UL File No.: E29184

CSA-C22.2 No. 94-91

CSA

CSA Class No.: 3211-03

ETIM for 289195 Low-voltage industrial controls and switchgear (EC000632)

Feature Name

Feature Value

Rated operation current  $I_e$  at AC-21, 400 V (EF002417)

0 A

Centre mounting, hole diameter (EF002424)

22.5 mm

Joy stick length (EF006524)

75 mm

Number of actuation directions (EF002425)

2

Number of switch positions (EF000231)

1

Number of normally open contacts per actuation direction (EF002427)

0

Number of normally closed contacts per actuation direction (EF008263)

0

Number of make-and-break contacts per direction (EF005599)

0

With retraction in 0-position (EF002428)

Yes

Locking in 0-position (EF006283)

No

Coder (EF005666)

No

Analogue output signal configurable (EF003236)

No

With front ring (EF006014)

Yes

Material front ring (EF005972)

Plastic

Colour front ring (EF002429)

Titanium

Degree of protection (IP) (EF005474)

IP66

Degree of protection (NEMA) (EF011959)  
4X, 13

## REQUEST PRICE, AVAILABILITY & TECHNICAL REVIEW

Send EATON - MOELLER / M22-WJ2H with the required quantity to [info@electricaonline.com](mailto:info@electricaonline.com) or use [electricaonline.com/request-quote](https://electricaonline.com/request-quote).

### GLOBAL OFFICES

Germany: Lise-Meitner-Straße 13, 89081 Ulm | USA: 16225 Park Ten Pl #500, Houston, TX 77084 | UAE: HDS Business Centre Tower, Cluster M, 33rd Floor, JLT, Dubai

Catalog-generated document. Product names, marks and specifications belong to their respective owners. Verify safety-critical, compatibility and certification requirements against the manufacturer documentation before purchase or installation.