

INDUSTRIAL COMPONENT DATA

M22-WJ4 279417 Y7-279417 EATON ELECTRIC Joystick 4 positions, momentary

Brand: EATON - MOELLER | Manufacturer Part Number: M22-WJ4



Manufacturer	EATON - MOELLER
MPN / Reference	M22-WJ4
Catalog number	Y7-279417
Category	Control switch, Joystick
Minimum order	5 Pcs
Document ID	EO-48BDDD9D0E
Generated	2026-08-05

Product Overview

Joystick 4 positions, momentary

M22-WJ4

Eaton Moeller® series M22 Joystick, with one operating point per operating direction, With plastic shaft, 4 positions, Bezel: titanium, momentary, in every position

Joystick, Product range: RMQ-Titan, Single unit, Description: with one operating point per operating direction, With plastic shaft, 4 positions, Degree of Protection: IP66, Bezel: titanium, Connection to SmartWire-DT: yes, with SWD-RMQ connections, Front dimensions: - N/A -, Function: momentary, in every position, Standards: IEC/EN 60947, VDE 0660

STRUCTURED PRODUCT DATA

Technical Specifications

No structured technical attributes are currently available. Submit an RFQ for technical review.

Classification & Catalog Path

Catalog path	EATON - MOELLER > Auxiliary Control and Signalling Elements
--------------	---

Additional Product Information

General specifications

Product Name Eaton Moeller® series M22 Joystick Catalog Number 279417 Model Code M22-WJ4 EAN 4015082794170

Product Length/Depth 100 mm Product Height 30 mm Product Width 30 mm Product Weight 0.028 kg Compliances CE

Marked Certifications UL 508

IEC 60947-5

EN 60947-5

CSA Std. C22.2 No. 14-05

CSA Std. C22.2 No. 94-91

VDE

UL File No.: E29184

UL Category Control No.: NKCR

IEC/EN 60947-5

UL

VDE 0660

CE

CSA File No.: 012528

CSA-C22.2 No. 94-91

CSA Class No.: 3211-03

IEC/EN 60947

CSA-C22.2 No. 14-05

CSA

ETIM for 279417 Low-voltage industrial controls and switchgear (EC000632)

Feature Name

Feature Value

Rated operation current I_e at AC-21, 400 V (EF002417)

0 A

Centre mounting, hole diameter (EF002424)

22.5 mm

Joy stick length (EF006524)

75 mm

Number of actuation directions (EF002425)

4

Number of switch positions (EF000231)

1

Number of normally open contacts per actuation direction (EF002427)

0

Number of normally closed contacts per actuation direction (EF008263)

0

Number of make-and-break contacts per direction (EF005599)

0

With retraction in 0-position (EF002428)

Yes

Locking in 0-position (EF006283)

No

Coder (EF005666)

No

Analogue output signal configurable (EF003236)

No

With front ring (EF006014)

Yes

Material front ring (EF005972)

Plastic

Colour front ring (EF002429)

Titanium

Degree of protection (IP) (EF005474)

IP66

Degree of protection (NEMA) (EF011959)

4X, 13

REQUEST PRICE, AVAILABILITY & TECHNICAL REVIEW

Send EATON - MOELLER / M22-WJ4 with the required quantity to info@electricaonline.com or use electricaonline.com/request-quote.

GLOBAL OFFICES

Germany: Lise-Meitner-Straße 13, 89081 Ulm | USA: 16225 Park Ten Pl #500, Houston, TX 77084 | UAE: HDS Business Centre Tower, Cluster M, 33rd Floor, JLT, Dubai

Catalog-generated document. Product names, marks and specifications belong to their respective owners. Verify safety-critical, compatibility and certification requirements against the manufacturer documentation before purchase or installation.