

INDUSTRIAL COMPONENT DATA

M22S-WJ4 279418 Y7-279418 EATON ELECTRIC Joystick 4 positions, momentary

Brand: EATON - MOELLER | Manufacturer Part Number: M22S-WJ4



Manufacturer	EATON - MOELLER
MPN / Reference	M22S-WJ4
Catalog number	Y7-279418
Category	Control switch, Joystick
Minimum order	1 Pcs
Document ID	EO-1B00E396E7
Generated	2026-08-05

Product Overview

Joystick 4 positions, momentary

M22S-WJ4

Eaton Moeller® series M22 Joystick, with one operating point per operating direction, With plastic shaft, 4 positions, Bezel: black, momentary

Joystick, Product range: RMQ-Titan, Single unit, Description: with one operating point per operating direction, With plastic shaft, 4 positions, Degree of Protection: IP66, Bezel: black, Connection to SmartWire-DT: yes, with SWD-RMQ connections, Front dimensions: - N/A -, Function: momentary, Standards: IEC/EN 60947, VDE 0660

STRUCTURED PRODUCT DATA

Technical Specifications

No structured technical attributes are currently available. Submit an RFQ for technical review.

Classification & Catalog Path

Catalog path

EATON - MOELLER > Auxiliary Control and Signalling Elements

Additional Product Information

General specifications

Product Name Eaton Moeller® series M22 Joystick Catalog Number 279418 Model Code M22S-WJ4 EAN 4015082794187

Product Length/Depth 100 mm Product Height 30 mm Product Width 30 mm Product Weight 0.028 kg Compliances CE

Marked Certifications UL 508

IEC 60947-5

CSA Std. C22.2 No. 14-05

CSA Std. C22.2 No. 94-91

EN 60947-5

VDE

UL Category Control No.: NKCR
CSA-C22.2 No. 94-91
IEC/EN 60947-5
UL
CSA
VDE 0660
UL File No.: E29184
CSA-C22.2 No. 14-05
CSA File No.: 012528
IEC/EN 60947
CE
CSA Class No.: 3211-03
ETIM for 279418 Low-voltage industrial controls and switchgear (EC000632)
Feature Name
Feature Value
Rated operation current I_e at AC-21, 400 V (EF002417)
0 A
Centre mounting, hole diameter (EF002424)
22.5 mm
Joy stick length (EF006524)
75 mm
Number of actuation directions (EF002425)
4
Number of switch positions (EF000231)
1
Number of normally open contacts per actuation direction (EF002427)
0
Number of normally closed contacts per actuation direction (EF008263)
0
Number of make-and-break contacts per direction (EF005599)
0
With retraction in 0-position (EF002428)
Yes
Locking in 0-position (EF006283)
No
Coder (EF005666)
No
Analogue output signal configurable (EF003236)
No
With front ring (EF006014)
Yes
Material front ring (EF005972)
Plastic
Colour front ring (EF002429)
Black
Degree of protection (IP) (EF005474)
IP66

Degree of protection (NEMA) (EF011959)

4X, 13

REQUEST PRICE, AVAILABILITY & TECHNICAL REVIEW

Send EATON - MOELLER / M22S-WJ4 with the required quantity to info@electricaonline.com or use electricaonline.com/request-quote.

GLOBAL OFFICES

Germany: Lise-Meitner-Straße 13, 89081 Ulm | USA: 16225 Park Ten Pl #500, Houston, TX 77084 | UAE: HDS Business Centre Tower, Cluster M, 33rd Floor, JLT, Dubai

Catalog-generated document. Product names, marks and specifications belong to their respective owners. Verify safety-critical, compatibility and certification requirements against the manufacturer documentation before purchase or installation.