

INDUSTRIAL COMPONENT DATA

M22-WRS*-MS*-* 262521 Y7-262521 EATON ELECTRIC

Key-operated actuator, 2 positions, maintained, type accordin..

Brand: EATON - MOELLER | Manufacturer Part Number: M22-WRS*-MS*-*



Manufacturer	EATON - MOELLER
MPN / Reference	M22-WRS*-MS*-*
Catalog number	Y7-262521
Category	Front element for selector switch
Minimum order	1 Pcs
Document ID	EO-5A80B147C4
Generated	2026-08-04

Product Overview

Key-operated actuator, 2 positions, maintained, type according to data

M22-WRS*-MS*-*

Eaton Moeller® series M22 Key-operated actuator, maintained, Select from 2 or 3 positions, MS1-MS20: Key withdrawable: Selectable, Bezel: titanium

Key-operated actuator, Product range: RMQ-Titan, Single unit, Design: Key operated, selectable, Not suitable for master key systems, selectable, Lock mechanism: selectable, Selectable, individual facility for inscription, Degree of Protection: IP66, Bezel: titanium, Connection to SmartWire-DT: yes, with SWD-RMQ connections, Front dimensions: 29,7, Instructions: Stay-put/spring-return function, can be changed with coding parts M22-XC-Y, Key withdraw convertible with coding adapters M22-XC-..., With 1 key, Notes on customized inscription -> Data sheet, additional product information (links), Standards: IEC/EN 60947, VDE 0660, Degree of Protection: IP66

STRUCTURED PRODUCT DATA

Technical Specifications

No structured technical attributes are currently available. Submit an RFQ for technical review.

Classification & Catalog Path

Catalog path	EATON - MOELLER > Auxiliary Control and Signalling Elements
--------------	---

Additional Product Information

General specifications

Product Name Eaton Moeller® series M22 Key-operated actuator Catalog Number 262521 Model Code M22-WRS*-MS*-*

Product Length/Depth 70 mm Product Height 30 mm Product Width 30 mm Product Weight 0.031 kg Certifications IEC/EN 60947

UL File No.: E29184
CSA-C22.2 No. 94-91
CSA
UL Category Control No.: NKCR
UL 508
VDE 0660
UL
CE
CSA-C22.2 No. 14-05
CSA Class No.: 3211-03
IEC/EN 60947-5
CSA File No.: 012528
DNV
GL
LR
ETIM for 262521 Low-voltage industrial controls and switchgear (EC000222)
Feature Name
Feature Value
Number of switch positions (EF000231)
2
Type of control element (EF006976)
Key
Suitable for lighting (EF001142)
No
Colour control element (EF007167)
Black
Colour indicator light cap (EF007165)
Other
Construction type lens (EF006253)
Round
Hole diameter (EF000079)
22.5 mm
Width opening (EF004565)
0 mm
Height opening (EF004778)
0 mm
Switching function latching (EF007447)
Yes
Spring-return (EF001407)
No
With front ring (EF006014)
Yes
Material front ring (EF005972)
Plastic
Colour front ring (EF002429)
Titanium
Degree of protection (IP), front side (EF003118)

IP66

Degree of protection (NEMA) (EF011959)

4X, 13

REQUEST PRICE, AVAILABILITY & TECHNICAL REVIEW

Send EATON - MOELLER / M22-WRS*-MS*-* with the required quantity to info@electricaonline.com or use electricaonline.com/request-quote.

GLOBAL OFFICES

Germany: Lise-Meitner-Straße 13, 89081 Ulm | USA: 16225 Park Ten Pl #500, Houston, TX 77084 | UAE: HDS Business Centre Tower, Cluster M, 33rd Floor, JLT, Dubai

Catalog-generated document. Product names, marks and specifications belong to their respective owners. Verify safety-critical, compatibility and certification requirements against the manufacturer documentation before purchase or installation.