

INDUSTRIAL COMPONENT DATA

M22-WS-MS* 216883 Y7-216883 EATON ELECTRIC

Key-operated actuator, 2 positions, momentary, closure according ..

Brand: EATON - MOELLER | Manufacturer Part Number: M22-WS-MS*



Manufacturer	EATON - MOELLER
MPN / Reference	M22-WS-MS*
Catalog number	Y7-216883
Category	Front element for selector switch
Minimum order	1 Pcs
Document ID	EO-03EE76763E
Generated	2026-08-03

Product Overview

Key-operated actuator, 2 positions, momentary, closure according to data

M22-WS-MS*

Eaton Moeller® series M22 Key-operated actuator, momentary, 2 positions, MS1-MS20, Key withdrawable: 0, Bezel: titanium

Key-operated actuator, Product range: RMQ-Titan, Single unit, Design: Key operated, momentary, Not suitable for master key systems, 2 positions, Lock mechanism: selectable, Degree of Protection: IP66, Bezel: titanium, Connection to SmartWire-DT: yes, with SWD-RMQ connections, Front dimensions: 29,7, Instructions: Stay-put/spring-return function, can be changed with coding parts M22-XC-Y, Key withdraw convertible with coding adapters M22-XC-..., With 1 key, Standards: IEC/EN 60947, VDE 0660, Degree of Protection: IP66

STRUCTURED PRODUCT DATA

Technical Specifications

No structured technical attributes are currently available. Submit an RFQ for technical review.

Classification & Catalog Path

Catalog path	EATON - MOELLER > Auxiliary Control and Signalling Elements
--------------	---

Additional Product Information

General specifications

Product Name Eaton Moeller® series M22 Key-operated actuator Catalog Number 216883 Model Code M22-WS-MS*

Product Length/Depth 70 mm Product Height 30 mm Product Width 30 mm Product Weight 0.034 kg Compliances CE

Marked Certifications CSA Std. C22.2 No. 94-91

IEC 60947-5

EN 60947-5

UL 508

CSA Std. C22.2 No. 14-05

VDE

CSA-C22.2 No. 94-91

UL

CSA

IEC/EN 60947-5

VDE 0660

CSA File No.: 012528

IEC/EN 60947

UL File No.: E29184

CE

CSA Class No.: 3211-03

CSA-C22.2 No. 14-05

UL Category Control No.: NKCR

DNV

GL

LR

ETIM for 216883 Low-voltage industrial controls and switchgear (EC000222)

Feature Name

Feature Value

Number of switch positions (EF000231)

2

Type of control element (EF006976)

Key

Suitable for lighting (EF001142)

No

Colour control element (EF007167)

Black

Colour indicator light cap (EF007165)

Other

Construction type lens (EF006253)

Round

Hole diameter (EF000079)

22.5 mm

Width opening (EF004565)

0 mm

Height opening (EF004778)

0 mm

Switching function latching (EF007447)

No

Spring-return (EF001407)

Yes

With front ring (EF006014)

Yes

Material front ring (EF005972)

Plastic

Colour front ring (EF002429)

Titanium

Degree of protection (IP), front side (EF003118)

IP66

Degree of protection (NEMA) (EF011959)

4X, 13

REQUEST PRICE, AVAILABILITY & TECHNICAL REVIEW

Send EATON - MOELLER / M22-WS-MS* with the required quantity to info@electricaonline.com or use electricaonline.com/request-quote.

GLOBAL OFFICES

Germany: Lise-Meitner-Straße 13, 89081 Ulm | USA: 16225 Park Ten Pl #500, Houston, TX 77084 | UAE: HDS Business Centre Tower, Cluster M, 33rd Floor, JLT, Dubai

Catalog-generated document. Product names, marks and specifications belong to their respective owners. Verify safety-critical, compatibility and certification requirements against the manufacturer documentation before purchase or installation.